



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 4/6/2024

Water Year: 2024

Storm Number: 14

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends  
[County Real-Time Rainfall and Reservoir Website link](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.15	0.50	0.59	19.51	126%	117%	
<b>Cachuma Dam</b> (USBR)	332	0.07	0.62	0.84	28.70	155%	145%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.27	0.59	25.46	161%	148%	
<b>Cuyama</b> (Fire Stn)	436	0.22	0.24	0.31	8.75	127%	114%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.40	0.68	0.90	23.92	121%	112%	5.4
<b>Gibraltar Dam</b> (City Facility)	230	0.09	0.45	0.61	40.18	164%	152%	5.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.02	0.24	0.43	24.26	143%	132%	
<b>Lompoc</b> (City Hall)	439	0.16	0.55	0.63	22.52	166%	153%	5.2
<b>Los Alamos</b> (Fire Stn)	204	0.05	0.49	0.50	18.84	133%	123%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.07	0.36	0.65	54.18	168%	158%	
<b>Santa Barbara</b> (County Bldg)	234	0.01	0.24	0.37	31.93	187%	174%	
<b>Santa Maria</b> (City Pub.Works)	380	0.06	0.61	0.62	14.61	119%	110%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.05	0.39	0.46	19.04	130%	121%	
<b>Sisquoc</b> (Fire Stn)	256	0.02	0.52	0.52	14.32	104%	95%	

Countywide percentage of "Normal-to-Date" rainfall : **143%**

Countywide percentage of "Normal Water-Year" rainfall : **132%**

Countywide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
 6.1 - 9.0 = Moderate  
 9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.20	4,693	4,738	101.0%	-25	1,556
<a href="#">Cachuma Reservoir</a>	753.**	752.86	192,978	192,543	99.8%	2,331	8,549
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.08	4,848	4,858	100.2%	-12	74
<a href="#">Twitchell Reservoir</a>	651.50	573.39	194,971	25,883	13.3%	786	-29,549

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 4/5/2024

Water Year: 2024

Storm Number: 14

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends  
[County Real-Time Rainfall and Reservoir Website link](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.35	0.35	0.44	19.36	126%	117%	
<b>Cachuma Dam</b> (USBR)	332	0.54	0.55	0.77	28.63	156%	144%	
<b>Carpinteria</b> (Fire Stn)	208	0.25	0.27	0.59	25.46	162%	148%	
<b>Cuyama</b> (Fire Stn)	436	0.02	0.02	0.09	8.53	125%	111%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.27	0.28	0.50	23.52	120%	110%	5.5
<b>Gibraltar Dam</b> (City Facility)	230	0.34	0.36	0.52	40.09	164%	152%	5.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.22	0.22	0.41	24.24	143%	132%	
<b>Lompoc</b> (City Hall)	439	0.39	0.39	0.47	22.36	165%	152%	5.2
<b>Los Alamos</b> (Fire Stn)	204	0.44	0.44	0.45	18.79	134%	123%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.29	0.29	0.58	54.11	169%	158%	
<b>Santa Barbara</b> (County Bldg)	234	0.23	0.23	0.36	31.92	188%	174%	
<b>Santa Maria</b> (City Pub.Works)	380	0.55	0.55	0.56	14.55	119%	109%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.34	0.34	0.41	18.99	130%	120%	
<b>Sisquoc</b> (Fire Stn)	256	0.50	0.50	0.50	14.30	104%	95%	

Countywide percentage of "Normal-to-Date" rainfall : **143%**

Countywide percentage of "Normal Water-Year" rainfall : **132%**

Countywide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft. However, the lake is surcharged to 753 ft. for fish release water. (Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.23	4,693	4,745	101.1%	-18	1,563
<a href="#">Cachuma Reservoir</a>	753.**	752.64	192,978	191,859	99.4%	1,647	7,865
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	-10	76
<a href="#">Twitchell Reservoir</a>	651.50	573.23	194,971	25,724	13.2%	627	-29,708

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 4/4/2024

Water Year: 2024

Storm Number: 14

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.09	19.01	124%	114%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.01	0.23	28.09	153%	142%	
<b>Carpinteria</b> (Fire Stn)	208	0.02	0.02	0.34	25.21	160%	147%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.07	8.51	125%	111%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.01	0.01	0.23	23.25	119%	108%	5.5
<b>Gibraltar Dam</b> (City Facility)	230	0.02	0.02	0.18	39.75	163%	151%	5.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.19	24.02	142%	131%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.08	21.97	163%	149%	5.3
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.01	18.35	131%	120%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.29	53.82	169%	157%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.13	31.69	187%	172%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.01	14.00	115%	105%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	18.65	128%	118%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	13.80	101%	92%	

County-wide percentage of "Normal-to-Date" rainfall :

**142%**

County-wide percentage of "Normal Water-Year" rainfall :

**130%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.23	4,693	4,745	101.1%	-18	1,563
<a href="#">Cachuma Reservoir</a>	753.**	752.34	192,978	190,926	98.9%	714	6,932
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.08	4,848	4,858	100.2%	-12	74
<a href="#">Twitchell Reservoir</a>	651.50	573.06	194,971	25,556	13.1%	459	-29,876

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 4/1/2024

Water Year: 2024

Storm Number: 13

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.09	1.37	0.09	19.01	125%	114%	
<b>Cachuma Dam</b> (USBR)	332	0.21	4.00	0.21	28.07	155%	142%	
<b>Carpinteria</b> (Fire Stn)	208	0.32	3.22	0.32	25.19	162%	146%	
<b>Cuyama</b> (Fire Stn)	436	0.07	1.14	0.07	8.51	127%	111%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.22	2.66	0.22	23.24	120%	108%	5.2
<b>Gibraltar Dam</b> (City Facility)	230	0.16	5.75	0.16	39.73	165%	151%	4.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.19	2.43	0.19	24.02	143%	131%	
<b>Lompoc</b> (City Hall)	439	0.08	2.40	0.08	21.97	165%	149%	5.0
<b>Los Alamos</b> (Fire Stn)	204	0.01	1.49	0.01	18.35	133%	120%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.29	6.18	0.29	53.82	170%	157%	
<b>Santa Barbara</b> (County Bldg)	234	0.13	4.10	0.13	31.69	189%	172%	
<b>Santa Maria</b> (City Pub.Works)	380	0.01	0.77	0.01	14.00	116%	105%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.07	1.80	0.07	18.65	130%	118%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	1.03	0.00	13.80	102%	92%	

County-wide percentage of "Normal-to-Date" rainfall :

**143%**

County-wide percentage of "Normal Water-Year" rainfall :

**130%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><b>Gibraltar Reservoir</b></a>	1,400.00	1,400.31	4,693	4,763	101.5%	0	1,581
<a href="#"><b>Cachuma Reservoir</b></a>	753.**	752.11	192,978	190,212	98.6%	0	6,218
<a href="#"><b>Jameson Reservoir</b></a>	2,224.00	2,224.18	4,848	4,870	100.5%	0	86
<a href="#"><b>Twitchell Reservoir</b></a>	651.50	572.59	194,971	25,097	12.9%	0	-30,335

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/31/2024

Water Year: 2024

Storm Number: 13

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link: ➤ https://rain.cosbpw.net](https://rain.cosbpw.net)

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.49	1.28	3.30	18.92	125%	114%	
<b>Cachuma Dam</b> (USBR)	332	1.85	3.79	5.79	27.86	155%	140%	
<b>Carpinteria</b> (Fire Stn)	208	0.79	2.90	4.97	24.87	161%	145%	
<b>Cuyama</b> (Fire Stn)	436	0.55	1.07	1.93	8.44	127%	110%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	1.03	2.44	5.28	23.02	120%	107%	5.2
<b>Gibraltar Dam</b> (City Facility)	230	2.59	5.59	8.13	39.57	166%	150%	4.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	1.29	2.24	4.46	23.83	143%	130%	
<b>Lompoc</b> (City Hall)	439	0.73	2.32	4.46	21.89	165%	149%	4.9
<b>Los Alamos</b> (Fire Stn)	204	0.67	1.48	3.50	18.34	134%	120%	
<b>San Marcos Pass</b> (USFS Stn)	212	2.21	5.89	11.47	53.53	169%	156%	
<b>Santa Barbara</b> (County Bldg)	234	1.98	3.97	6.51	31.56	189%	172%	
<b>Santa Maria</b> (City Pub. Works)	380	0.16	0.76	2.69	13.99	117%	105%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.53	1.73	3.71	18.58	130%	118%	
<b>Sisquoc</b> (Fire Stn)	256	0.40	1.03	2.92	13.80	103%	92%	

County-wide percentage of "Normal-to-Date" rainfall :

**143%**

County-wide percentage of "Normal Water-Year" rainfall :

**129%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.40	4,693	4,784	101.9%	62	1,602
<a href="#">Cachuma Reservoir</a>	753.**	752.53	192,978	191,517	99.2%	-342	7,523
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.36	4,848	4,893	100.9%	35	109
<a href="#">Twitchell Reservoir</a>	651.50	572.33	194,971	24,844	12.7%	9,947	-30,588

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/30/2024

Water Year: 2024

Storm Number: 13

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.79	0.79	2.81	18.43	122%	111%	
<b>Cachuma Dam</b> (USBR)	332	1.94	1.94	3.94	26.01	145%	131%	
<b>Carpinteria</b> (Fire Stn)	208	2.11	2.11	4.18	24.08	156%	140%	
<b>Cuyama</b> (Fire Stn)	436	0.52	0.52	1.38	7.89	119%	103%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	1.41	1.41	4.25	21.99	115%	103%	5.5
<b>Gibraltar Dam</b> (City Facility)	230	3.00	3.00	5.54	36.98	155%	140%	5.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.95	0.95	3.17	22.54	136%	123%	
<b>Lompoc</b> (City Hall)	439	1.59	1.59	3.73	21.16	160%	144%	5.2
<b>Los Alamos</b> (Fire Stn)	204	0.81	0.81	2.83	17.67	129%	115%	
<b>San Marcos Pass</b> (USFS Stn)	212	3.68	3.68	9.26	51.32	163%	149%	
<b>Santa Barbara</b> (County Bldg)	234	1.99	1.99	4.53	29.58	178%	161%	
<b>Santa Maria</b> (City Pub. Works)	380	0.60	0.60	2.53	13.83	116%	104%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	1.20	1.20	3.18	18.05	127%	114%	
<b>Sisquoc</b> (Fire Stn)	256	0.63	0.63	2.52	13.40	100%	89%	

County-wide percentage of "Normal-to-Date" rainfall :

**137%**

County-wide percentage of "Normal Water-Year" rainfall :

**123%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.32	4,693	4,761	101.4%	39	1,579
<a href="#">Cachuma Reservoir</a>	753.**	752.75	192,978	192,202	99.6%	343	8,208
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.42	4,848	4,900	101.1%	42	116
<a href="#">Twitchell Reservoir</a>	651.50	572.05	194,971	24,571	12.6%	9,674	-30,861

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/29/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	2.02	17.64	117%	106%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	2.00	24.07	135%	121%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	2.07	21.97	143%	128%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.86	7.37	111%	96%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.01	0.00	2.84	20.58	108%	96%	5.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	2.54	33.98	143%	129%	6.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	2.22	21.59	130%	117%	
<b>Lompoc</b> (City Hall)	439	0.01	0.00	2.14	19.57	148%	133%	5.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	2.02	16.86	124%	110%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	5.58	47.64	152%	139%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.54	27.59	167%	150%	
<b>Santa Maria</b> (City Pub. Works)	380	0.01	0.00	1.93	13.23	111%	99%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.98	16.85	118%	107%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	1.89	12.77	96%	85%	

County-wide percentage of "Normal-to-Date" rainfall :

**129%**

County-wide percentage of "Normal Water-Year" rainfall :

**115%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,399.96	4,693	4,684	99.8%	-38	1,502
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	753.03	192,978	193,072	100.0%	1,213	9,078
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,224.00	4,848	4,848	100.0%	-10	64
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	571.93	194,971	24,455	12.5%	9,558	-30,977

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/25/2024

Water Year: 2024

Storm Number: 12

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.67	2.02	17.64	120%	106%	
<b>Cachuma Dam</b> (USBR)	332	0.06	0.68	2.00	24.07	137%	121%	
<b>Carpinteria</b> (Fire Stn)	208	0.02	0.49	2.07	21.97	146%	128%	
<b>Cuyama</b> (Fire Stn)	436	0.06	0.20	0.86	7.37	113%	96%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.20	1.05	2.83	20.57	110%	96%	5.7
<b>Gibraltar Dam</b> (City Facility)	230	0.02	0.52	2.54	33.98	146%	129%	5.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.66	2.22	21.59	133%	117%	
<b>Lompoc</b> (City Hall)	439	0.02	0.77	2.13	19.56	151%	133%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.68	2.02	16.86	126%	110%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.61	5.58	47.64	154%	139%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.50	2.54	27.59	170%	150%	
<b>Santa Maria</b> (City Pub.Works)	380	0.04	0.49	1.92	13.22	114%	99%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.07	0.83	1.98	16.85	120%	107%	
<b>Sisquoc</b> (Fire Stn)	256	0.05	0.61	1.89	12.77	98%	85%	

County-wide percentage of "Normal-to-Date" rainfall :

**131%**

County-wide percentage of "Normal Water-Year" rainfall :

**115%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.09	4,693	4,713	100.4%	-9	1,531
<a href="#">Cachuma Reservoir</a>	753.**	754.13	192,978	196,532	101.8%	4,673	12,538
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.02	4,848	4,850	100.0%	-8	66
<a href="#">Twitchell Reservoir</a>	651.50	571.52	194,971	24,082	12.4%	9,185	-31,350

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/24/2024

Water Year: 2024

Storm Number: 12

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.04	0.67	2.02	17.64	121%	106%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.62	1.94	24.01	138%	121%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.47	2.05	21.95	147%	128%	
<b>Cuyama</b> (Fire Stn)	436	0.01	0.14	0.80	7.31	113%	95%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.07	0.85	2.63	20.37	110%	95%	5.8
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.50	2.52	33.96	147%	129%	5.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.66	2.22	21.59	134%	117%	
<b>Lompoc</b> (City Hall)	439	0.20	0.75	2.11	19.54	152%	133%	5.5
<b>Los Alamos</b> (Fire Stn)	204	0.04	0.68	2.02	16.86	127%	110%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.01	0.61	5.58	47.64	155%	139%	
<b>Santa Barbara</b> (County Bldg)	234	0.01	0.50	2.54	27.59	171%	150%	
<b>Santa Maria</b> (City Pub. Works)	380	0.03	0.45	1.88	13.18	114%	99%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.08	0.76	1.91	16.78	121%	106%	
<b>Sisquoc</b> (Fire Stn)	256	0.04	0.56	1.84	12.72	98%	85%	

County-wide percentage of "Normal-to-Date" rainfall :

**132%**

County-wide percentage of "Normal Water-Year" rainfall :

**115%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.12	4,693	4,720	100.6%	-2	1,538
<a href="#">Cachuma Reservoir</a>	753.**	754.10	192,978	196,437	101.8%	4,578	12,443
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.02	4,848	4,850	100.0%	-8	66
<a href="#">Twitchell Reservoir</a>	651.50	571.36	194,971	23,910	12.3%	9,013	-31,522

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/23/2024

Water Year: 2024

Storm Number: 12

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.63	0.63	1.98	17.60	121%	106%	
<b>Cachuma Dam</b> (USBR)	332	0.61	0.61	1.93	24.00	138%	121%	
<b>Carpinteria</b> (Fire Stn)	208	0.47	0.47	2.05	21.95	147%	128%	
<b>Cuyama</b> (Fire Stn)	436	0.13	0.13	0.79	7.30	113%	95%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.78	0.78	2.56	20.30	110%	95%	5.7
<b>Gibraltar Dam</b> (City Facility)	230	0.50	0.50	2.52	33.96	147%	129%	5.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.66	0.66	2.22	21.59	134%	117%	
<b>Lompoc</b> (City Hall)	439	0.55	0.55	1.91	19.34	151%	131%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.64	0.64	1.98	16.82	128%	110%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.60	0.60	5.57	47.63	156%	139%	
<b>Santa Barbara</b> (County Bldg)	234	0.49	0.49	2.53	27.58	172%	150%	
<b>Santa Maria</b> (City Pub. Works)	380	0.42	0.42	1.85	13.15	115%	99%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.68	0.68	1.83	16.70	121%	106%	
<b>Sisquoc</b> (Fire Stn)	256	0.52	0.52	1.80	12.68	98%	84%	

County-wide percentage of "Normal-to-Date" rainfall :

**132%**

County-wide percentage of "Normal Water-Year" rainfall :

**115%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.16	4,693	4,729	100.8%	7	1,547
<a href="#">Cachuma Reservoir</a>	753.**	754.07	192,978	196,342	101.7%	4,483	12,348
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-5	69
<a href="#">Twitchell Reservoir</a>	651.50	571.30	194,971	23,853	12.2%	8,956	-31,579

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/22/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	1.35	16.97	117%	102%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	1.32	23.39	135%	118%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	1.58	21.48	145%	125%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.66	7.17	112%	93%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	1.78	19.52	106%	91%	6.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	2.02	33.46	146%	127%	5.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	1.56	20.93	131%	114%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	1.36	18.79	148%	128%	5.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	1.34	16.18	124%	106%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	4.97	47.03	155%	137%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.04	27.09	170%	147%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	1.43	12.73	112%	95%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.15	16.02	116%	101%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	1.28	12.16	95%	81%	

County-wide percentage of "Normal-to-Date" rainfall :

**129%**

County-wide percentage of "Normal Water-Year" rainfall :

**112%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.11	4,693	4,718	100.5%	-4	1,536
<a href="#">Cachuma Reservoir</a>	753.**	754.03	192,978	196,215	101.7%	4,356	12,221
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.02	4,848	4,850	100.0%	-8	66
<a href="#">Twitchell Reservoir</a>	651.50	571.07	194,971	23,633	12.1%	8,736	-31,799

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/18/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	1.35	16.97	120%	102%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	1.32	23.39	139%	118%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	1.58	21.48	149%	125%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.66	7.17	116%	93%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	1.78	19.52	109%	91%	5.8
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	2.02	33.46	150%	127%	5.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	1.56	20.93	135%	114%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	1.36	18.79	153%	128%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	1.34	16.18	127%	106%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	4.97	47.03	159%	137%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.02	27.07	174%	147%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	1.43	12.73	115%	95%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.15	16.02	120%	101%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	1.28	12.16	98%	81%	

County-wide percentage of "Normal-to-Date" rainfall :

**133%**

County-wide percentage of "Normal Water-Year" rainfall :

**112%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.14	4,693	4,725	100.7%	3	1,543
<a href="#">Cachuma Reservoir</a>	753.**	753.93	192,978	195,900	101.5%	4,041	11,906
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-5	69
<a href="#">Twitchell Reservoir</a>	651.50	570.58	194,971	23,172	11.9%	8,275	-32,260

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/15/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	1.35	16.97	123%	102%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	1.32	23.39	143%	118%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	1.58	21.48	152%	125%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.66	7.17	118%	93%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	1.78	19.52	111%	91%	5.7
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	2.02	33.46	153%	127%	5.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	1.56	20.93	138%	114%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	1.36	18.79	156%	128%	5.4
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	1.34	16.18	130%	106%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	4.97	47.03	162%	137%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.02	27.07	177%	147%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	1.43	12.73	117%	95%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.15	16.02	123%	101%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	1.28	12.16	100%	81%	

County-wide percentage of "Normal-to-Date" rainfall :

**136%**

County-wide percentage of "Normal Water-Year" rainfall :

**112%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.06	4,693	4,707	100.3%	-15	1,525
<a href="#">Cachuma Reservoir</a>	753.**	753.76	192,978	195,366	101.2%	3,507	11,372
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.06	4,848	4,855	100.1%	-3	71
<a href="#">Twitchell Reservoir</a>	651.50	570.15	194,971	22,768	11.7%	7,871	-32,664

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/11/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	1.35	16.97	125%	102%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	1.32	23.39	146%	118%	
<b>Carpinteria</b> (Fire Stn)	208	0.01	0.00	1.58	21.48	155%	125%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.66	7.17	121%	93%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	1.78	19.52	114%	91%	5.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	2.02	33.46	157%	127%	5.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	1.56	20.93	141%	114%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	1.36	18.79	159%	128%	5.2
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	1.34	16.18	134%	106%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	4.96	47.02	165%	137%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.02	27.07	182%	147%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	1.43	12.73	121%	95%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.15	16.02	126%	101%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	1.28	12.16	103%	81%	

County-wide percentage of "Normal-to-Date" rainfall :

**139%**

County-wide percentage of "Normal Water-Year" rainfall :

**112%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.12	4,693	4,720	100.6%	-2	1,538
<a href="#">Cachuma Reservoir</a>	753.**	753.23	192,978	193,701	100.4%	1,842	9,707
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	2	76
<a href="#">Twitchell Reservoir</a>	651.50	568.68	194,971	21,414	11.0%	6,517	-34,018

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/7/2024

Water Year: 2024

Storm Number: 11

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link: ➤ https://rain.cosbpw.net](https://rain.cosbpw.net)

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.62	0.62	1.35	16.97	128%	102%	
<b>Cachuma Dam</b> (USBR)	332	0.40	0.40	1.29	23.36	149%	118%	
<b>Carpinteria</b> (Fire Stn)	208	0.65	0.65	1.57	21.47	159%	125%	
<b>Cuyama</b> (Fire Stn)	436	0.36	0.36	0.58	7.09	123%	92%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.37	0.37	1.73	19.47	117%	91%	5.4
<b>Gibraltar Dam</b> (City Facility)	230	0.46	0.46	2.01	33.45	160%	127%	4.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.53	0.53	1.54	20.91	145%	114%	
<b>Lompoc</b> (City Hall)	439	0.31	0.31	1.36	18.79	164%	128%	5.0
<b>Los Alamos</b> (Fire Stn)	204	0.32	0.32	1.33	16.17	137%	105%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.79	0.79	4.93	46.99	169%	137%	
<b>Santa Barbara</b> (County Bldg)	234	0.64	0.64	2.01	27.06	187%	147%	
<b>Santa Maria</b> (City Pub.Works)	380	0.40	0.40	1.43	12.73	124%	95%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.46	0.46	1.14	16.01	129%	101%	
<b>Sisquoc</b> (Fire Stn)	256	0.42	0.42	1.28	12.16	106%	81%	

County-wide percentage of "Normal-to-Date" rainfall :

**143%**

County-wide percentage of "Normal Water-Year" rainfall :

**112%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.16	4,693	4,729	100.8%	7	1,547
<a href="#">Cachuma Reservoir</a>	753.**	752.81	192,978	192,388	99.7%	529	8,394
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	7	81
<a href="#">Twitchell Reservoir</a>	651.50	567.11	194,971	20,008	10.3%	5,111	-35,424

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/4/2024

Water Year: 2024

Storm Number: 10

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.01	0.72	0.72	16.34	129%	98%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.89	0.89	22.96	152%	116%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.92	0.92	20.82	159%	121%	
<b>Cuyama</b> (Fire Stn)	436	0.01	0.22	0.22	6.73	121%	88%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.01	1.36	1.36	19.10	119%	89%	5.4
<b>Gibraltar Dam</b> (City Facility)	230	0.01	1.55	1.55	32.99	162%	125%	4.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	1.01	1.01	20.38	145%	111%	
<b>Lompoc</b> (City Hall)	439	0.05	1.05	1.05	18.48	167%	125%	4.9
<b>Los Alamos</b> (Fire Stn)	204	0.00	1.01	1.01	15.85	139%	103%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	4.14	4.14	46.20	172%	134%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	1.37	1.37	26.42	187%	144%	
<b>Santa Maria</b> (City Pub. Works)	380	0.02	1.03	1.03	12.33	124%	92%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.68	0.68	15.55	130%	98%	
<b>Sisquoc</b> (Fire Stn)	256	0.01	0.86	0.86	11.74	105%	78%	

County-wide percentage of "Normal-to-Date" rainfall :

**144%**

County-wide percentage of "Normal Water-Year" rainfall :

**109%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.20	4,693	4,738	101.0%	16	1,556
<a href="#">Cachuma Reservoir</a>	753.**	753.05	192,978	193,135	100.1%	1,276	9,141
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	7	81
<a href="#">Twitchell Reservoir</a>	651.50	564.94	194,971	18,169	9.3%	3,272	-37,263

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/3/2024

Water Year: 2024

Storm Number: 10

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.19	0.71	0.71	16.33	130%	98%	
<b>Cachuma Dam</b> (USBR)	332	0.21	0.88	0.88	22.95	153%	116%	
<b>Carpinteria</b> (Fire Stn)	208	0.36	0.92	0.92	20.82	160%	121%	
<b>Cuyama</b> (Fire Stn)	436	0.17	0.21	0.21	6.72	122%	87%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.45	1.35	1.35	19.09	120%	89%	5.3
<b>Gibraltar Dam</b> (City Facility)	230	0.32	1.54	1.54	32.98	164%	125%	4.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.36	1.01	1.01	20.38	147%	111%	
<b>Lompoc</b> (City Hall)	439	0.31	1.00	1.00	18.43	168%	125%	4.8
<b>Los Alamos</b> (Fire Stn)	204	0.28	1.01	1.01	15.85	140%	103%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.52	4.14	4.14	46.20	174%	134%	
<b>Santa Barbara</b> (County Bldg)	234	0.32	1.37	1.37	26.42	189%	144%	
<b>Santa Maria</b> (City Pub. Works)	380	0.29	1.01	1.01	12.31	125%	92%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.23	0.68	0.68	15.55	132%	98%	
<b>Sisquoc</b> (Fire Stn)	256	0.32	0.85	0.85	11.73	106%	78%	

County-wide percentage of "Normal-to-Date" rainfall :

**145%**

County-wide percentage of "Normal Water-Year" rainfall :

**109%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.22	4,693	4,743	101.1%	21	1,561
<a href="#">Cachuma Reservoir</a>	753.**	753.10	192,978	193,292	100.2%	1,433	9,298
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.18	4,848	4,870	100.5%	12	86
<a href="#">Twitchell Reservoir</a>	651.50	563.18	194,971	16,776	8.6%	1,879	-38,656

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/2/2024

Water Year: 2024

Storm Number: 10

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.51	0.52	0.52	16.14	130%	97%	
<b>Cachuma Dam</b> (USBR)	332	0.67	0.67	0.67	22.74	153%	115%	
<b>Carpinteria</b> (Fire Stn)	208	0.54	0.56	0.56	20.46	158%	119%	
<b>Cuyama</b> (Fire Stn)	436	0.04	0.04	0.04	6.55	119%	85%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.89	0.90	0.90	18.64	118%	87%	5.4
<b>Gibraltar Dam</b> (City Facility)	230	1.18	1.22	1.22	32.66	163%	124%	4.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.55	0.65	0.65	20.02	145%	109%	
<b>Lompoc</b> (City Hall)	439	0.66	0.69	0.69	18.12	166%	123%	4.9
<b>Los Alamos</b> (Fire Stn)	204	0.73	0.73	0.73	15.57	139%	102%	
<b>San Marcos Pass</b> (USFS Stn)	212	3.36	3.62	3.62	45.68	173%	133%	
<b>Santa Barbara</b> (County Bldg)	234	0.97	1.05	1.05	26.10	188%	142%	
<b>Santa Maria</b> (City Pub. Works)	380	0.70	0.72	0.72	12.02	123%	90%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.45	0.45	0.45	15.32	130%	97%	
<b>Sisquoc</b> (Fire Stn)	256	0.53	0.53	0.53	11.41	104%	76%	

County-wide percentage of "Normal-to-Date" rainfall :

**144%**

County-wide percentage of "Normal Water-Year" rainfall :

**107%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,400.25	4,693	4,750	101.2%	28	1,568
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	752.87	192,978	192,574	99.8%	715	8,580
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,224.22	4,848	4,875	100.6%	17	91
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	561.25	194,971	15,291	7.8%	394	-40,141

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 3/1/2024

Water Year: 2024

Storm Number: 10

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.01	0.01	0.01	15.63	127%	94%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	22.07	150%	111%	
<b>Carpinteria</b> (Fire Stn)	208	0.02	0.02	0.02	19.92	156%	116%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	6.51	120%	85%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.01	0.01	0.01	17.75	114%	83%	5.7
<b>Gibraltar Dam</b> (City Facility)	230	0.04	0.04	0.04	31.48	160%	119%	4.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.10	0.10	0.10	19.47	142%	106%	
<b>Lompoc</b> (City Hall)	439	0.03	0.03	0.03	17.46	161%	119%	5.1
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	14.84	134%	97%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.26	0.26	0.26	42.32	163%	123%	
<b>Santa Barbara</b> (County Bldg)	234	0.08	0.08	0.08	25.13	184%	137%	
<b>Santa Maria</b> (City Pub.Works)	380	0.02	0.02	0.02	11.32	117%	85%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	14.87	128%	94%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	10.88	101%	72%	

County-wide percentage of "Normal-to-Date" rainfall : 140%

County-wide percentage of "Normal Water-Year" rainfall : 103%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.13	4,693	4,722	100.6%	0	1,540
<a href="#">Cachuma Reservoir</a>	753.**	752.64	192,978	191,859	99.4%	0	7,865
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.08	4,848	4,858	100.2%	0	74
<a href="#">Twitchell Reservoir</a>	651.50	560.73	194,971	14,897	7.6%	0	-40,535

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/27/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link:](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<a href="#">Buellton</a> (Fire Stn)	233	0.00	0.00	8.24	15.62	131%	94%	
<a href="#">Cachuma Dam</a> (USBR)	332	0.00	0.00	14.57	22.07	155%	111%	
<a href="#">Carpinteria</a> (Fire Stn)	208	0.04	0.00	10.58	19.90	162%	116%	
<a href="#">Cuyama</a> (Fire Stn)	436	0.00	0.00	3.13	6.51	123%	85%	
<a href="#">Figueroa Mtn.</a> (USFS Stn)	421	0.00	0.00	8.62	17.74	118%	83%	5.6
<a href="#">Gibraltar Dam</a> (City Facility)	230	0.00	0.00	19.50	31.44	165%	119%	4.5
<a href="#">Goleta</a> (Fire Stn-Los Carneros)	440	0.00	0.00	11.32	19.37	146%	105%	
<a href="#">Lompoc</a> (City Hall)	439	0.00	0.00	9.89	17.43	166%	118%	4.9
<a href="#">Los Alamos</a> (Fire Stn)	204	0.00	0.00	7.84	14.83	138%	97%	
<a href="#">San Marcos Pass</a> (USFS Stn)	212	0.00	0.00	26.62	42.06	168%	122%	
<a href="#">Santa Barbara</a> (County Bldg)	234	0.00	0.00	14.51	25.05	188%	136%	
<a href="#">Santa Maria</a> (City Pub. Works)	380	0.00	0.00	5.01	11.30	120%	85%	
<a href="#">Santa Ynez</a> (Fire Stn /Airport)	218	0.00	0.00	8.79	14.86	132%	94%	
<a href="#">Sisquoc</a> (Fire Stn)	256	0.00	0.00	5.34	10.88	103%	72%	

County-wide percentage of "Normal-to-Date" rainfall : 144%

County-wide percentage of "Normal Water-Year" rainfall : 103%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.01	4,693	4,695	100.0%	-73	1,513
<a href="#">Cachuma Reservoir</a>	753.**	752.27	192,978	190,709	98.8%	13,144	6,715
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	-55	76
<a href="#">Twitchell Reservoir</a>	651.50	560.13	194,971	14,446	7.4%	12,030	-40,986

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/26/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	8.24	15.62	132%	94%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	14.57	22.07	157%	111%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	10.54	19.86	163%	115%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	3.13	6.51	124%	85%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	8.62	17.74	120%	83%	5.5
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	19.50	31.44	166%	119%	4.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	11.32	19.37	147%	105%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	9.89	17.43	167%	118%	4.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	7.84	14.83	139%	97%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	26.62	42.06	170%	122%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	14.51	25.05	190%	136%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	5.01	11.30	121%	85%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	8.79	14.86	133%	94%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	5.34	10.88	104%	72%	

County-wide percentage of "Normal-to-Date" rainfall :

**145%**

County-wide percentage of "Normal Water-Year" rainfall :

**103%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.11	4,693	4,718	100.5%	-50	1,536
<a href="#">Cachuma Reservoir</a>	753.**	752.04	192,978	189,994	98.5%	12,429	6,000
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	-55	76
<a href="#">Twitchell Reservoir</a>	651.50	559.93	194,971	14,296	7.3%	11,880	-41,136

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/23/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link: ➤ https://rain.cosbpw.net](https://rain.cosbpw.net)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	8.24	15.62	135%	94%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	14.57	22.07	162%	111%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	10.54	19.86	168%	115%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	3.13	6.51	128%	85%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	8.62	15.34	106%	72%	6.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	19.50	31.44	171%	119%	3.9
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	11.32	19.37	151%	105%	
<b>Lompoc</b> (City Hall)	439	0.01	0.00	9.90	17.43	172%	118%	4.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	7.84	14.83	143%	97%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	26.62	41.96	174%	122%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	14.50	25.04	195%	136%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	5.01	11.30	124%	85%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	8.79	14.86	137%	94%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	5.34	10.88	107%	72%	

County-wide percentage of "Normal-to-Date" rainfall :

**148%**

County-wide percentage of "Normal Water-Year" rainfall :

**102%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.21	4,693	4,741	101.0%	-27	1,559
<a href="#">Cachuma Reservoir</a>	753.**	751.17	192,978	187,317	97.1%	9,752	3,323
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.16	4,848	4,868	100.4%	-47	84
<a href="#">Twitchell Reservoir</a>	651.50	558.70	194,971	13,392	6.9%	10,976	-42,040

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/21/2024

Water Year: 2024

Storm Number: 9

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.22	3.06	8.24	15.62	138%	94%	
<b>Cachuma Dam</b> (USBR)	332	0.33	4.57	14.57	22.07	165%	111%	
<b>Carpinteria</b> (Fire Stn)	208	0.13	4.51	10.54	19.86	170%	115%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.84	3.12	6.50	129%	85%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.28	3.56	8.62	15.34	107%	72%	6.0
<b>Gibraltar Dam</b> (City Facility)	230	0.17	6.42	19.50	31.44	175%	119%	3.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.33	4.20	11.32	19.37	154%	105%	
<b>Lompoc</b> (City Hall)	439	0.16	3.60	9.89	17.42	175%	118%	4.4
<b>Los Alamos</b> (Fire Stn)	204	0.20	2.67	7.83	14.82	146%	97%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.35	11.27	26.62	41.96	178%	122%	
<b>Santa Barbara</b> (County Bldg)	234	0.53	5.61	14.50	25.04	198%	136%	
<b>Santa Maria</b> (City Pub.Works)	380	0.16	1.86	5.01	11.30	126%	85%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.24	2.54	8.78	14.85	139%	94%	
<b>Sisquoc</b> (Fire Stn)	256	0.17	2.15	5.34	10.88	109%	72%	

County-wide percentage of "Normal-to-Date" rainfall :

**151%**

County-wide percentage of "Normal Water-Year" rainfall :

**102%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.31	4,693	4,763	101.5%	-5	1,581
<a href="#">Cachuma Reservoir</a>	753.**	751.22	192,978	187,470	97.1%	9,905	3,476
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.30	4,848	4,885	100.8%	-30	101
<a href="#">Twitchell Reservoir</a>	651.50	556.88	194,971	12,097	6.2%	9,681	-43,335

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/20/2024

Water Year: 2024

Storm Number: 9

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.19	2.84	8.02	15.40	138%	93%	
<b>Cachuma Dam</b> (USBR)	332	0.39	4.24	14.24	21.74	164%	110%	
<b>Carpinteria</b> (Fire Stn)	208	0.78	4.38	10.41	19.73	171%	115%	
<b>Cuyama</b> (Fire Stn)	436	0.01	0.84	3.12	6.50	130%	85%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.17	3.28	8.34	15.06	107%	70%	6.1
<b>Gibraltar Dam</b> (City Facility)	230	1.61	6.25	19.33	31.27	177%	118%	3.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.19	3.87	10.99	19.04	154%	104%	
<b>Lompoc</b> (City Hall)	439	0.04	3.44	9.73	17.26	175%	117%	4.4
<b>Los Alamos</b> (Fire Stn)	204	0.09	2.47	7.63	14.62	145%	95%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.88	10.92	26.27	41.61	178%	121%	
<b>Santa Barbara</b> (County Bldg)	234	0.88	5.08	13.97	24.51	196%	133%	
<b>Santa Maria</b> (City Pub. Works)	380	0.02	1.70	4.85	11.14	126%	84%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.13	2.30	8.54	14.61	139%	92%	
<b>Sisquoc</b> (Fire Stn)	256	0.07	1.98	5.17	10.71	108%	71%	

County-wide percentage of "Normal-to-Date" rainfall :

**150%**

County-wide percentage of "Normal Water-Year" rainfall :

**101%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.59	4,693	4,827	102.9%	59	1,645
<a href="#">Cachuma Reservoir</a>	753.**	751.88	192,978	189,501	98.2%	11,936	5,507
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.52	4,848	4,911	101.3%	-4	127
<a href="#">Twitchell Reservoir</a>	651.50	555.18	194,971	10,937	5.6%	8,521	-44,495

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/19/2024

Water Year: 2024

Storm Number: 9

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	2.33	2.65	7.83	15.21	138%	92%	
<b>Cachuma Dam</b> (USBR)	332	3.60	3.85	13.85	21.35	163%	108%	
<b>Carpinteria</b> (Fire Stn)	208	3.51	3.60	9.63	18.95	166%	110%	
<b>Cuyama</b> (Fire Stn)	436	0.55	0.83	3.11	6.49	132%	84%	
<b>Figueroa Mtn</b> (USFS Stn)	421	2.78	3.11	8.17	14.89	107%	69%	6.2
<b>Gibraltar Dam</b> (City Facility)	230	4.45	4.64	17.72	29.66	170%	112%	3.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	3.48	3.68	10.80	18.85	154%	103%	
<b>Lompoc</b> (City Hall)	439	3.03	3.40	9.69	17.22	177%	117%	4.3
<b>Los Alamos</b> (Fire Stn)	204	2.05	2.38	7.54	14.53	148%	95%	
<b>San Marcos Pass</b> (USFS Stn)	212	8.77	9.04	24.39	39.73	172%	116%	
<b>Santa Barbara</b> (County Bldg)	234	4.06	4.20	13.09	23.63	193%	128%	
<b>Santa Maria</b> (City Pub.Works)	380	1.27	1.68	4.83	11.12	127%	83%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	1.93	2.17	8.41	14.48	139%	92%	
<b>Sisquoc</b> (Fire Stn)	256	1.53	1.91	5.10	10.64	109%	71%	

County-wide percentage of "Normal-to-Date" rainfall :

**149%**

County-wide percentage of "Normal Water-Year" rainfall :

**99%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,401.04	4,693	4,930	105.1%	162	1,748
<a href="#">Cachuma Reservoir</a>	753.**	750.81	192,978	186,216	96.5%	8,651	2,222
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.58	4,848	4,915	101.4%	0	131
<a href="#">Twitchell Reservoir</a>	651.50	551.53	194,971	8,609	4.4%	6,193	-46,823

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/18/2024

Water Year: 2024

Storm Number: 9

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.32	0.32	5.50	12.88	119%	78%	
<b>Cachuma Dam</b> (USBR)	332	0.25	0.25	10.25	17.75	137%	90%	
<b>Carpinteria</b> (Fire Stn)	208	0.09	0.09	6.12	15.44	137%	90%	
<b>Cuyama</b> (Fire Stn)	436	0.28	0.28	2.56	5.94	123%	77%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.33	0.33	5.39	12.11	88%	56%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.19	0.19	13.27	25.21	146%	96%	5.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.20	0.20	7.32	15.37	127%	84%	
<b>Lompoc</b> (City Hall)	439	0.37	0.37	6.66	14.19	148%	96%	5.5
<b>Los Alamos</b> (Fire Stn)	204	0.33	0.33	5.49	12.48	128%	81%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.27	0.27	15.62	30.96	135%	90%	
<b>Santa Barbara</b> (County Bldg)	234	0.14	0.14	9.03	19.57	161%	106%	
<b>Santa Maria</b> (City Pub. Works)	380	0.41	0.41	3.56	9.85	114%	74%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.24	0.24	6.48	12.55	123%	79%	
<b>Sisquoc</b> (Fire Stn)	256	0.38	0.38	3.57	9.11	94%	61%	

County-wide percentage of "Normal-to-Date" rainfall :

127%

County-wide percentage of "Normal Water-Year" rainfall :

83%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.93	4,693	4,677	99.7%	-91	1,495
<a href="#">Cachuma Reservoir</a>	753.**	750.52	192,978	185,333	96.0%	7,768	1,339
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-62	69
<a href="#">Twitchell Reservoir</a>	651.50	551.13	194,971	8,366	4.3%	5,950	-47,066

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/16/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	5.18	12.56	119%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	10.00	17.50	140%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.03	15.35	140%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	2.28	5.66	119%	74%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	5.06	11.78	88%	55%	7.2
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	13.08	25.02	148%	95%	4.9
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	7.12	15.17	128%	82%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	6.29	13.82	149%	94%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	5.15	12.14	128%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	15.35	30.69	137%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	8.89	19.43	164%	106%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	3.15	9.44	111%	71%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	6.24	12.31	124%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	3.19	8.73	93%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

**128%**

County-wide percentage of "Normal Water-Year" rainfall :

**81%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.01	4,693	4,695	100.0%	-73	1,513
<a href="#">Cachuma Reservoir</a>	753.**	751.86	192,978	189,439	98.2%	11,874	5,445
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-62	69
<a href="#">Twitchell Reservoir</a>	651.50	550.69	194,971	8,103	4.2%	5,687	-47,329

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/15/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	5.18	12.56	120%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	10.00	17.50	141%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.03	15.35	141%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.09	0.00	2.28	5.66	120%	74%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	5.06	11.78	89%	55%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	13.08	25.02	149%	95%	4.9
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	7.12	15.17	129%	82%	
<b>Lompoc</b> (City Hall)	439	0.03	0.00	6.29	13.82	150%	94%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	5.15	12.14	129%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	15.35	30.69	139%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	8.89	19.43	166%	106%	
<b>Santa Maria</b> (City Pub. Works)	380	0.07	0.00	3.15	9.44	112%	71%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	6.24	12.31	125%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.04	0.00	3.19	8.73	93%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

**129%**

County-wide percentage of "Normal Water-Year" rainfall :

**81%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.09	4,693	4,713	100.4%	-55	1,531
<a href="#">Cachuma Reservoir</a>	753.**	752.53	192,978	191,517	99.2%	13,952	7,523
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-62	69
<a href="#">Twitchell Reservoir</a>	651.50	550.53	194,971	8,008	4.1%	5,592	-47,424

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/14/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	5.18	12.56	121%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	10.00	17.50	143%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.03	15.35	143%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	2.19	5.57	119%	72%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	5.06	11.78	89%	55%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	13.08	25.02	151%	95%	4.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	7.12	15.17	130%	82%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	6.26	13.79	152%	94%	5.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	5.14	12.13	130%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	15.35	30.69	140%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	8.89	19.43	167%	106%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	3.08	9.37	112%	70%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	6.24	12.31	126%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	3.15	8.69	94%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

**130%**

County-wide percentage of "Normal Water-Year" rainfall :

**81%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.12	4,693	4,720	100.6%	-48	1,538
<a href="#">Cachuma Reservoir</a>	753.**	753.04	192,978	193,104	100.1%	15,539	9,110
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.04	4,848	4,853	100.1%	-62	69
<a href="#">Twitchell Reservoir</a>	651.50	550.37	194,971	7,914	4.1%	5,498	-47,518

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/12/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link: ➤ https://rain.cosbpw.net](https://rain.cosbpw.net)

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	5.18	12.56	123%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	10.00	17.50	146%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.03	15.35	147%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	2.19	5.57	122%	72%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	5.06	11.78	92%	55%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	13.08	25.02	155%	95%	4.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	7.12	15.17	132%	82%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	6.25	13.78	155%	94%	5.5
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	5.14	12.13	133%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	15.35	30.69	144%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	8.89	19.43	172%	106%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	3.08	9.37	114%	70%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	6.24	12.31	128%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	3.15	8.69	96%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

**133%**

County-wide percentage of "Normal Water-Year" rainfall :

**81%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.84	4,693	4,657	99.2%	-111	1,475
<a href="#">Cachuma Reservoir</a>	753.**	753.17	192,978	193,512	100.3%	15,947	9,518
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.08	4,848	4,858	100.2%	-57	74
<a href="#">Twitchell Reservoir</a>	651.50	549.91	194,971	7,642	3.9%	5,226	-47,790

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/9/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link:](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.01	0.00	5.18	12.56	131%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.00	10.00	17.50	154%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.03	15.35	154%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.03	0.00	2.18	5.56	130%	72%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.03	0.00	5.06	11.78	97%	55%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	13.08	25.02	163%	95%	4.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	7.12	15.17	139%	82%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	6.25	13.78	162%	94%	5.4
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	5.13	12.12	140%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	15.35	30.69	150%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	8.89	19.43	179%	106%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	3.08	9.37	120%	70%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	6.24	12.31	136%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	3.15	8.69	101%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

140%

County-wide percentage of "Normal Water-Year" rainfall :

81%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.19	4,693	4,736	100.9%	-32	1,554
<a href="#">Cachuma Reservoir</a>	753.**	752.49	192,978	191,393	99.2%	13,828	7,399
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	-50	81
<a href="#">Twitchell Reservoir</a>	651.50	548.71	194,971	6,951	3.6%	4,535	-48,481

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/8/2024

Water Year: 2024

Storm Number: 8

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link: ➤ https://rain.cosbpw.net](https://rain.cosbpw.net)

Rainfall	ID	24 hrs	Storm 5day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.38	3.41	5.17	12.55	134%	76%	
<b>Cachuma Dam</b> (USBR)	332	0.47	7.05	9.99	17.49	158%	88%	
<b>Carpinteria</b> (Fire Stn)	208	0.37	3.71	6.03	15.35	158%	89%	
<b>Cuyama</b> (Fire Stn)	436	0.24	1.32	2.15	5.53	132%	72%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.48	3.62	5.03	11.75	98%	55%	7.1
<b>Gibraltar Dam</b> (City Facility)	230	0.77	8.52	13.08	25.02	166%	95%	4.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.26	4.02	7.12	15.17	142%	82%	
<b>Lompoc</b> (City Hall)	439	0.48	4.55	6.25	13.78	166%	94%	5.4
<b>Los Alamos</b> (Fire Stn)	204	0.60	3.38	5.12	12.11	142%	79%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.17	9.01	15.35	30.69	153%	89%	
<b>Santa Barbara</b> (County Bldg)	234	0.43	5.85	8.89	19.43	182%	106%	
<b>Santa Maria</b> (City Pub. Works)	380	0.46	2.12	3.08	9.37	122%	70%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.41	4.37	6.24	12.31	139%	78%	
<b>Sisquoc</b> (Fire Stn)	256	0.50	2.11	3.15	8.69	103%	58%	

County-wide percentage of "Normal-to-Date" rainfall :

**142%**

County-wide percentage of "Normal Water-Year" rainfall :

**81%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.24	4,693	4,747	101.2%	-21	1,565
<a href="#">Cachuma Reservoir</a>	753.**	752.08	192,978	190,119	98.5%	12,554	6,125
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.20	4,848	4,873	100.5%	-42	89
<a href="#">Twitchell Reservoir</a>	651.50	547.77	194,971	6,424	3.3%	4,008	-49,008

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/7/2024

Water Year: 2024

Storm Number: 8

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.06	3.03	4.79	12.17	132%	73%	
<b>Cachuma Dam</b> (USBR)	332	0.05	6.58	9.52	17.02	156%	86%	
<b>Carpinteria</b> (Fire Stn)	208	0.05	3.34	5.66	14.98	157%	87%	
<b>Cuyama</b> (Fire Stn)	436	0.18	1.08	1.91	5.29	129%	69%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.11	3.14	4.55	11.27	96%	53%	7.3
<b>Gibraltar Dam</b> (City Facility)	230	0.09	7.75	12.31	24.25	164%	92%	4.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.02	3.76	6.86	14.91	142%	81%	
<b>Lompoc</b> (City Hall)	439	0.06	4.07	5.77	13.30	162%	90%	5.5
<b>Los Alamos</b> (Fire Stn)	204	0.23	2.78	4.52	11.51	137%	75%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.06	7.84	14.18	29.52	150%	86%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	5.42	8.46	19.00	181%	103%	
<b>Santa Maria</b> (City Pub.Works)	380	0.10	1.66	2.62	8.91	118%	67%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.10	3.96	5.83	11.90	137%	75%	
<b>Sisquoc</b> (Fire Stn)	256	0.05	1.61	2.65	8.19	99%	54%	

County-wide percentage of "Normal-to-Date" rainfall :

140%

County-wide percentage of "Normal Water-Year" rainfall :

78%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<b><u>Gibraltar Reservoir</u></b>	1,400.00	1,400.25	4,693	4,750	101.2%	-18	1,568
<b><u>Cachuma Reservoir</u></b>	753.**	751.80	192,978	189,255	98.1%	11,690	5,261
<b><u>Jameson Reservoir</u></b>	2,224.00	2,224.20	4,848	4,873	100.5%	-42	89
<b><u>Twitchell Reservoir</u></b>	651.50	546.69	194,971	5,835	3.0%	3,419	-49,597

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/6/2024

Water Year: 2024

Storm Number: 8

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.67	2.97	4.73	12.11	133%	73%	
<b>Cachuma Dam</b> (USBR)	332	1.22	6.53	9.47	16.97	157%	86%	
<b>Carpinteria</b> (Fire Stn)	208	0.82	3.29	5.61	14.93	159%	87%	
<b>Cuyama</b> (Fire Stn)	436	0.46	0.90	1.73	5.11	126%	66%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	1.49	3.03	4.44	11.16	96%	52%	7.3
<b>Gibraltar Dam</b> (City Facility)	230	0.75	7.66	12.22	24.16	166%	92%	4.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	1.26	3.74	6.84	14.89	143%	81%	
<b>Lompoc</b> (City Hall)	439	0.94	4.01	5.71	13.24	163%	90%	5.5
<b>Los Alamos</b> (Fire Stn)	204	0.65	2.55	4.29	11.28	135%	74%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.44	7.78	14.12	29.46	152%	86%	
<b>Santa Barbara</b> (County Bldg)	234	1.54	5.42	8.46	19.00	183%	103%	
<b>Santa Maria</b> (City Pub. Works)	380	0.51	1.56	2.52	8.81	118%	66%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	1.30	3.86	5.73	11.80	138%	75%	
<b>Sisquoc</b> (Fire Stn)	256	0.74	1.56	2.60	8.14	100%	54%	

County-wide percentage of "Normal-to-Date" rainfall :

**141%**

County-wide percentage of "Normal Water-Year" rainfall :

**77%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.33	4,693	4,768	101.6%	0	1,586
<a href="#">Cachuma Reservoir</a>	753.**	751.87	192,978	189,470	98.2%	11,905	5,476
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.34	4,848	4,890	100.9%	-25	106
<a href="#">Twitchell Reservoir</a>	651.50	542.16	194,971	3,605	1.8%	1,189	-51,827

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/5/2024

Water Year: 2024

Storm Number: 8

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	1.99	2.30	4.06	11.44	127%	69%	
<b>Cachuma Dam</b> (USBR)	332	4.95	5.31	8.25	15.75	148%	79%	
<b>Carpinteria</b> (Fire Stn)	208	2.43	2.47	4.79	14.11	152%	82%	
<b>Cuyama</b> (Fire Stn)	436	0.35	0.44	1.27	4.65	116%	60%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	1.34	1.54	2.95	9.67	84%	45%	7.8
<b>Gibraltar Dam</b> (City Facility)	230	6.77	6.91	11.47	23.41	163%	89%	4.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	2.40	2.48	5.58	13.63	133%	74%	
<b>Lompoc</b> (City Hall)	439	2.56	3.07	4.77	12.30	153%	84%	5.8
<b>Los Alamos</b> (Fire Stn)	204	1.66	1.90	3.64	10.63	129%	69%	
<b>San Marcos Pass</b> (USFS Stn)	212	6.16	6.34	12.68	28.02	146%	82%	
<b>Santa Barbara</b> (County Bldg)	234	3.81	3.88	6.92	17.46	171%	95%	
<b>Santa Maria</b> (City Pub. Works)	380	0.83	1.05	2.01	8.30	112%	62%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	2.29	2.56	4.43	10.50	124%	66%	
<b>Sisquoc</b> (Fire Stn)	256	0.67	0.82	1.86	7.40	92%	49%	

County-wide percentage of "Normal-to-Date" rainfall :

132%

County-wide percentage of "Normal Water-Year" rainfall :

72%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.71	4,693	4,854	103.4%	86	1,672
<a href="#">Cachuma Reservoir</a>	753.**	751.62	192,978	188,702	97.8%	11,137	4,708
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.58	4,848	4,915	101.4%	0	131
<a href="#">Twitchell Reservoir</a>	651.50	540.91	194,971	3,076	1.6%	660	-52,356

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/4/2024

Water Year: 2024

Storm Number: 8

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.31	0.31	2.07	9.45	106%	57%	
<b>Cachuma Dam</b> (USBR)	332	0.36	0.36	3.30	10.80	102%	54%	
<b>Carpinteria</b> (Fire Stn)	208	0.04	0.04	2.36	11.68	126%	68%	
<b>Cuyama</b> (Fire Stn)	436	0.09	0.09	0.92	4.30	108%	56%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.20	0.20	1.61	8.33	73%	39%	8.3
<b>Gibraltar Dam</b> (City Facility)	230	0.14	0.14	4.70	16.64	116%	63%	5.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.08	0.08	3.18	11.23	110%	61%	
<b>Lompoc</b> (City Hall)	439	0.51	0.51	2.21	9.74	122%	66%	6.9
<b>Los Alamos</b> (Fire Stn)	204	0.24	0.24	1.98	8.97	110%	59%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.18	0.18	6.52	21.86	115%	64%	
<b>Santa Barbara</b> (County Bldg)	234	0.07	0.07	3.11	13.65	134%	74%	
<b>Santa Maria</b> (City Pub. Works)	380	0.22	0.22	1.18	7.47	102%	56%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.27	0.27	2.14	8.21	98%	52%	
<b>Sisquoc</b> (Fire Stn)	256	0.15	0.15	1.19	6.73	84%	45%	

County-wide percentage of "Normal-to-Date" rainfall : **108%**

County-wide percentage of "Normal Water-Year" rainfall : **58%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.13	4,693	4,722	100.6%	-46	1,540
<a href="#">Cachuma Reservoir</a>	753.**	746.86	192,978	174,428	90.4%	-3,137	-9,566
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.00	4,848	4,848	100.0%	-67	64
<a href="#">Twitchell Reservoir</a>	651.50	540.43	194,971	2,885	1.5%	469	-52,547

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/2/2024

Water Year: 2024

Storm Number: 7

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

[County Real-Time Rainfall and Reservoir Website link:](https://rain.cosbpw.net) ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.24	1.76	1.76	9.14	105%	55%	
<b>Cachuma Dam</b> (USBR)	332	0.52	2.94	2.94	10.44	102%	53%	
<b>Carpinteria</b> (Fire Stn)	208	0.10	3.19	3.19	12.51	139%	73%	
<b>Cuyama</b> (Fire Stn)	436	0.13	0.83	0.83	4.21	109%	55%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.42	1.41	1.41	8.13	73%	38%	8.3
<b>Gibraltar Dam</b> (City Facility)	230	0.57	4.55	4.55	16.49	119%	62%	5.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.13	3.10	3.10	11.15	112%	61%	
<b>Lompoc</b> (City Hall)	439	0.06	1.31	1.31	8.84	114%	60%	6.9
<b>Los Alamos</b> (Fire Stn)	204	0.33	1.73	1.73	8.72	111%	57%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.14	6.34	6.34	21.68	117%	63%	
<b>Santa Barbara</b> (County Bldg)	234	0.24	3.04	3.04	13.58	138%	74%	
<b>Santa Maria</b> (City Pub.Works)	380	0.16	0.96	0.96	7.25	102%	54%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.27	1.87	1.87	7.94	97%	50%	
<b>Sisquoc</b> (Fire Stn)	256	0.29	1.03	1.03	6.57	84%	44%	

County-wide percentage of "Normal-to-Date" rainfall :

109%

County-wide percentage of "Normal Water-Year" rainfall :

57%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.24	4,693	4,747	101.2%	-21	1,565
<a href="#">Cachuma Reservoir</a>	753.**	748.97	192,978	180,653	93.6%	3,088	-3,341
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	-55	76
<a href="#">Twitchell Reservoir</a>	651.50	539.51	194,971	2,529	1.3%	113	-52,903

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 2/1/2024

Water Year: 2024

Storm Number: 7

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	1.52	1.52	1.52	8.90	104%	54%	
<b>Cachuma Dam</b> (USBR)	332	2.42	2.42	2.42	9.92	98%	50%	
<b>Carpinteria</b> (Fire Stn)	208	3.09	3.09	3.09	12.41	139%	72%	
<b>Cuyama</b> (Fire Stn)	436	0.70	0.70	0.70	4.08	107%	53%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.99	0.99	0.99	7.71	70%	36%	8.5
<b>Gibraltar Dam</b> (City Facility)	230	3.98	3.98	3.98	15.92	117%	60%	5.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	2.97	2.97	2.97	11.02	112%	60%	
<b>Lompoc</b> (City Hall)	439	1.25	1.25	1.25	8.78	114%	60%	7.1
<b>Los Alamos</b> (Fire Stn)	204	1.40	1.40	1.40	8.39	108%	55%	
<b>San Marcos Pass</b> (USFS Stn)	212	5.20	5.20	5.20	20.54	112%	60%	
<b>Santa Barbara</b> (County Bldg)	234	2.80	2.80	2.80	13.34	138%	73%	
<b>Santa Maria</b> (City Pub.Works)	380	0.80	0.80	0.80	7.09	101%	53%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	1.60	1.60	1.60	7.67	95%	49%	
<b>Sisquoc</b> (Fire Stn)	256	0.74	0.74	0.74	6.28	82%	42%	

County-wide percentage of "Normal-to-Date" rainfall :

**107%**

County-wide percentage of "Normal Water-Year" rainfall :

**55%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.33	4,693	4,768	101.6%	0	1,586
<a href="#">Cachuma Reservoir</a>	753.**	747.93	192,978	177,565	92.0%	0	-6,429
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.58	4,848	4,915	101.4%	0	131
<a href="#">Twitchell Reservoir</a>	651.50	539.21	194,971	2,416	1.2%	0	-53,016

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/26/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	1.26	7.38	92%	44%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.00	1.90	7.50	79%	38%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	2.32	9.32	111%	54%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.90	3.38	94%	44%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.01	0.00	2.49	6.72	65%	31%	8.8
<b>Gibraltar Dam</b> (City Facility)	230	0.01	0.00	2.17	11.94	95%	45%	7.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	2.55	8.05	87%	44%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	1.61	7.53	105%	51%	7.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	1.28	6.99	97%	46%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	3.97	15.34	89%	45%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	2.78	10.54	118%	57%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	1.55	6.29	97%	47%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	1.08	6.07	79%	38%	
<b>Sisquoc</b> (Fire Stn)	256	0.01	0.00	1.43	5.54	76%	37%	

County-wide percentage of "Normal-to-Date" rainfall :

**92%**

County-wide percentage of "Normal Water-Year" rainfall :

**44%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,400.08	4,693	4,711	100.4%	38	1,529
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	747.35	192,978	175,862	91.1%	1,289	-8,132
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,223.98	4,848	4,846	100.0%	-14	62
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	538.64	194,971	2,211	1.1%	711	-53,221

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/25/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.05	0.00	1.26	7.38	93%	44%	
<b>Cachuma Dam</b> (USBR)	332	0.03	0.00	1.89	7.49	80%	38%	
<b>Carpinteria</b> (Fire Stn)	208	0.02	0.00	2.32	9.32	113%	54%	
<b>Cuyama</b> (Fire Stn)	436	0.04	0.00	0.90	3.38	96%	44%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.08	0.00	2.48	6.71	65%	31%	8.8
<b>Gibraltar Dam</b> (City Facility)	230	0.04	0.00	2.16	11.93	96%	45%	7.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	2.55	8.05	89%	44%	
<b>Lompoc</b> (City Hall)	439	0.13	0.00	1.61	7.53	107%	51%	7.6
<b>Los Alamos</b> (Fire Stn)	204	0.06	0.00	1.28	6.99	99%	46%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.08	0.00	3.97	15.34	91%	45%	
<b>Santa Barbara</b> (County Bldg)	234	0.04	0.00	2.78	10.54	120%	57%	
<b>Santa Maria</b> (City Pub.Works)	380	0.11	0.00	1.55	6.29	98%	47%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.03	0.00	1.08	6.07	81%	38%	
<b>Sisquoc</b> (Fire Stn)	256	0.09	0.00	1.42	5.53	77%	37%	

County-wide percentage of "Normal-to-Date" rainfall :

**93%**

County-wide percentage of "Normal Water-Year" rainfall :

**44%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.03	4,693	4,700	100.1%	27	1,518
<a href="#">Cachuma Reservoir</a>	753.**	747.32	192,978	175,774	91.1%	1,201	-8,220
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.96	4,848	4,843	99.9%	-17	59
<a href="#">Twitchell Reservoir</a>	651.50	538.56	194,971	2,183	1.1%	683	-53,249

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/23/2024

Water Year: 2024

Storm Number: 6

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.03	0.68	1.21	7.33	97%	44%	
<b>Cachuma Dam</b> (USBR)	332	0.10	1.27	1.86	7.46	84%	38%	
<b>Carpinteria</b> (Fire Stn)	208	0.30	1.82	2.30	9.30	118%	54%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.86	3.34	98%	43%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.59	1.56	2.40	6.63	68%	31%	8.8
<b>Gibraltar Dam</b> (City Facility)	230	0.31	1.65	2.12	11.89	99%	45%	7.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.25	2.22	2.55	8.05	93%	44%	
<b>Lompoc</b> (City Hall)	439	0.04	0.86	1.48	7.40	109%	50%	7.6
<b>Los Alamos</b> (Fire Stn)	204	0.04	0.77	1.21	6.92	102%	45%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.42	3.06	3.89	15.26	94%	44%	
<b>Santa Barbara</b> (County Bldg)	234	0.40	2.27	2.73	10.49	125%	57%	
<b>Santa Maria</b> (City Pub. Works)	380	0.10	0.84	1.43	6.17	100%	46%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.02	0.50	1.04	6.03	84%	38%	
<b>Sisquoc</b> (Fire Stn)	256	0.18	0.83	1.33	5.44	79%	36%	

County-wide percentage of "Normal-to-Date" rainfall :

**96%**

County-wide percentage of "Normal Water-Year" rainfall :

**44%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

**AI (Antecedent Index / Soil Wetness)**

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

### Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.13	4,693	4,722	100.6%	49	1,540
<a href="#">Cachuma Reservoir</a>	753.**	747.20	192,978	175,421	90.9%	848	-8,573
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.00	4,848	4,848	100.0%	-12	64
<a href="#">Twitchell Reservoir</a>	651.50	538.39	194,971	2,123	1.1%	623	-53,309

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/22/2024

Water Year: 2024

Storm Number: 6

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 3 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.41	0.65	1.18	7.30	98%	44%	
<b>Cachuma Dam</b> (USBR)	332	0.70	1.17	1.76	7.36	84%	37%	
<b>Carpinteria</b> (Fire Stn)	208	0.63	1.52	2.00	9.00	116%	52%	
<b>Cuyama</b> (Fire Stn)	436	0.27	0.47	0.86	3.34	100%	43%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.65	0.97	1.81	6.04	63%	28%	9.0
<b>Gibraltar Dam</b> (City Facility)	230	0.72	1.34	1.81	11.58	99%	44%	7.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	1.14	1.97	2.30	7.80	92%	42%	
<b>Lompoc</b> (City Hall)	439	0.48	0.82	1.44	7.36	110%	50%	7.6
<b>Los Alamos</b> (Fire Stn)	204	0.63	0.73	1.17	6.88	103%	45%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.30	2.64	3.47	14.84	92%	43%	
<b>Santa Barbara</b> (County Bldg)	234	0.89	1.87	2.33	10.09	123%	55%	
<b>Santa Maria</b> (City Pub.Works)	380	0.52	0.74	1.33	6.07	100%	46%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.34	0.48	1.02	6.01	84%	38%	
<b>Sisquoc</b> (Fire Stn)	256	0.49	0.65	1.15	5.26	78%	35%	

County-wide percentage of "Normal-to-Date" rainfall :

**96%**

County-wide percentage of "Normal Water-Year" rainfall :

**43%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,399.84	4,693	4,657	99.2%	-16	1,475
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	747.13	192,978	175,216	90.8%	643	-8,778
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,224.18	4,848	4,870	100.5%	10	86
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	538.17	194,971	2,045	1.0%	545	-53,387

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/21/2024

Water Year: 2024

Storm Number: 6

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.11	0.24	0.77	6.89	94%	41%	
<b>Cachuma Dam</b> (USBR)	332	0.37	0.47	1.06	6.66	77%	34%	
<b>Carpinteria</b> (Fire Stn)	208	0.60	0.89	1.37	8.37	109%	49%	
<b>Cuyama</b> (Fire Stn)	436	0.18	0.20	0.59	3.07	92%	40%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.17	0.29	1.13	5.36	56%	25%	9.3
<b>Gibraltar Dam</b> (City Facility)	230	0.37	0.62	1.09	10.86	95%	41%	7.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.23	0.83	1.16	6.66	80%	36%	
<b>Lompoc</b> (City Hall)	439	0.24	0.34	0.96	6.88	104%	47%	7.9
<b>Los Alamos</b> (Fire Stn)	204	0.06	0.10	0.54	6.25	95%	41%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.70	1.34	2.17	13.54	85%	39%	
<b>Santa Barbara</b> (County Bldg)	234	0.45	0.98	1.44	9.20	113%	50%	
<b>Santa Maria</b> (City Pub.Works)	380	0.17	0.22	0.81	5.55	93%	42%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.12	0.14	0.68	5.67	81%	36%	
<b>Sisquoc</b> (Fire Stn)	256	0.14	0.16	0.66	4.77	72%	32%	

County-wide percentage of "Normal-to-Date" rainfall :

89%

County-wide percentage of "Normal Water-Year" rainfall :

39%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.68	4,693	4,622	98.5%	-51	1,440
<a href="#">Cachuma Reservoir</a>	753.**	747.07	192,978	175,040	90.7%	467	-8,954
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.16	4,848	4,868	100.4%	8	84
<a href="#">Twitchell Reservoir</a>	651.50	538.02	194,971	1,993	1.0%	493	-53,439

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/20/2024

Water Year: 2024

Storm Number: 6

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <https://rain.cosbpw.net>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.13	0.13	0.66	6.78	94%	41%	
<b>Cachuma Dam</b> (USBR)	332	0.10	0.10	0.69	6.29	75%	32%	
<b>Carpinteria</b> (Fire Stn)	208	0.29	0.29	0.77	7.77	103%	45%	
<b>Cuyama</b> (Fire Stn)	436	0.02	0.02	0.41	2.89	89%	38%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.12	0.12	0.96	5.19	55%	24%	9.4
<b>Gibraltar Dam</b> (City Facility)	230	0.25	0.25	0.72	10.49	93%	40%	7.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.60	0.60	0.93	6.43	78%	35%	
<b>Lompoc</b> (City Hall)	439	0.10	0.10	0.72	6.64	102%	45%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.04	0.04	0.48	6.19	96%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.64	0.64	1.47	12.84	82%	37%	
<b>Santa Barbara</b> (County Bldg)	234	0.53	0.53	0.99	8.75	109%	48%	
<b>Santa Maria</b> (City Pub.Works)	380	0.05	0.05	0.64	5.38	92%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.02	0.02	0.56	5.55	80%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.02	0.02	0.52	4.63	71%	31%	

County-wide percentage of "Normal-to-Date" rainfall :

**87%**

County-wide percentage of "Normal Water-Year" rainfall :

**38%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.60	4,693	4,604	98.1%	-69	1,422
<a href="#">Cachuma Reservoir</a>	753.**	747.05	192,978	174,981	90.7%	408	-9,013
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	5	81
<a href="#">Twitchell Reservoir</a>	651.50	537.88	194,971	1,946	1.0%	446	-53,486

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/19/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.53	6.65	93%	40%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.59	6.19	75%	31%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.48	7.48	101%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.39	2.87	89%	37%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.84	5.07	55%	24%	9.4
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.47	10.24	92%	39%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	72%	32%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.62	6.54	102%	44%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.44	6.15	97%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.83	12.20	79%	36%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.46	8.22	105%	45%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.59	5.33	93%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.54	5.53	81%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.50	4.61	72%	31%	

County-wide percentage of "Normal-to-Date" rainfall :

86%

County-wide percentage of "Normal Water-Year" rainfall :

37%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.57	4,693	4,597	98.0%	-76	1,415
<a href="#">Cachuma Reservoir</a>	753.**	747.05	192,978	174,952	90.7%	379	-9,042
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	5	81
<a href="#">Twitchell Reservoir</a>	651.50	537.90	194,971	1,953	1.0%	453	-53,479

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/16/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.53	6.65	98%	40%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.57	6.17	78%	31%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.47	7.47	106%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.28	2.76	90%	36%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.84	5.07	58%	24%	9.4
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.47	10.24	97%	39%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	75%	32%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.62	6.54	108%	44%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	0.43	6.14	101%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.83	12.20	83%	36%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.46	8.22	110%	45%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.58	5.32	96%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.53	5.52	85%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.50	4.61	75%	31%	

County-wide percentage of "Normal-to-Date" rainfall :

**90%**

County-wide percentage of "Normal Water-Year" rainfall :

**37%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.44	4,693	4,568	97.3%	-105	1,386
<a href="#">Cachuma Reservoir</a>	753.**	747.05	192,978	174,981	90.7%	408	-9,013
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	5	81
<a href="#">Twitchell Reservoir</a>	651.50	537.69	194,971	1,884	1.0%	384	-53,548

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/11/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.05	0.00	0.53	6.65	105%	40%	
<b>Cachuma Dam</b> (USBR)	332	0.02	0.00	0.56	6.16	84%	31%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.47	7.47	114%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.04	0.00	0.28	2.76	94%	36%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.13	0.00	0.84	5.07	61%	24%	9.3
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.47	10.24	105%	39%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	81%	32%	
<b>Lompoc</b> (City Hall)	439	0.20	0.00	0.62	6.54	115%	44%	7.9
<b>Los Alamos</b> (Fire Stn)	204	0.07	0.00	0.42	6.13	109%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.04	0.00	0.83	12.20	90%	36%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.46	8.22	119%	45%	
<b>Santa Maria</b> (City Pub. Works)	380	0.04	0.00	0.58	5.32	104%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.02	0.00	0.53	5.52	92%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.05	0.00	0.50	4.61	80%	31%	

County-wide percentage of "Normal-to-Date" rainfall :

97%

County-wide percentage of "Normal Water-Year" rainfall :

37%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.23	4,693	4,522	96.4%	-151	1,340
<a href="#">Cachuma Reservoir</a>	753.**	747.03	192,978	174,922	90.6%	349	-9,072
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.12	4,848	4,863	100.3%	3	79
<a href="#">Twitchell Reservoir</a>	651.50	537.33	194,971	1,765	0.9%	265	-53,667

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/8/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.48	6.60	113%	40%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.54	6.14	92%	31%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.47	7.47	126%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.24	2.72	100%	35%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.71	4.94	65%	23%	9.3
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.47	10.24	116%	39%	7.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	89%	32%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.42	6.34	121%	43%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.35	6.06	116%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.79	12.16	101%	35%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.46	8.22	130%	45%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.54	5.28	111%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.51	5.50	100%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.45	4.56	86%	30%	

County-wide percentage of "Normal-to-Date" rainfall :

105%

County-wide percentage of "Normal Water-Year" rainfall :

36%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.41	4,693	4,562	97.2%	-111	1,380
<a href="#">Cachuma Reservoir</a>	753.**	747.02	192,978	174,952	90.7%	379	-9,042
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.12	4,848	4,863	100.3%	3	79
<a href="#">Twitchell Reservoir</a>	651.50	537.14	194,971	1,702	0.9%	202	-53,730

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/7/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.14	0.00	0.48	6.60	115%	40%	
<b>Cachuma Dam</b> (USBR)	332	0.12	0.00	0.54	6.14	93%	31%	
<b>Carpinteria</b> (Fire Stn)	208	0.13	0.00	0.47	7.47	127%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.06	0.00	0.24	2.72	101%	35%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.14	0.00	0.71	4.94	65%	23%	
<b>Gibraltar Dam</b> (City Facility)	230	0.11	0.00	0.47	10.24	117%	39%	
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	90%	32%	
<b>Lompoc</b> (City Hall)	439	0.05	0.00	0.42	6.34	122%	43%	
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.35	6.06	117%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.14	0.00	0.79	12.16	102%	35%	
<b>Santa Barbara</b> (County Bldg)	234	0.02	0.00	0.46	8.22	132%	45%	
<b>Santa Maria</b> (City Pub.Works)	380	0.13	0.00	0.54	5.28	113%	40%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.11	0.00	0.51	5.50	101%	35%	
<b>Sisquoc</b> (Fire Stn)	256	0.09	0.00	0.45	4.56	87%	30%	

County-wide percentage of "Normal-to-Date" rainfall :

106%

County-wide percentage of "Normal Water-Year" rainfall :

36%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.48	4,693	4,577	97.5%	-96	1,395
<a href="#">Cachuma Reservoir</a>	753.**	747.03	192,978	174,922	90.6%	349	-9,072
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.12	4,848	4,863	100.3%	3	79
<a href="#">Twitchell Reservoir</a>	651.50	537.09	194,971	1,686	0.9%	186	-53,746

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/5/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.34	6.46	117%	39%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.00	0.42	6.02	96%	30%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.34	7.34	132%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.18	2.66	105%	35%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.01	0.00	0.57	4.80	66%	22%	9.4
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.36	10.13	121%	38%	7.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.33	5.83	94%	32%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.37	6.29	128%	43%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.35	6.06	122%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.01	0.00	0.65	12.02	105%	35%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.44	8.20	138%	45%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.41	5.15	114%	39%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.40	5.39	104%	34%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.36	4.47	89%	30%	

County-wide percentage of "Normal-to-Date" rainfall :

109%

County-wide percentage of "Normal Water-Year" rainfall :

36%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.64	4,693	4,613	98.3%	-60	1,431
<a href="#">Cachuma Reservoir</a>	753.**	747.00	192,978	174,834	90.6%	261	-9,160
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.12	4,848	4,863	100.3%	3	79
<a href="#">Twitchell Reservoir</a>	651.50	536.88	194,971	1,619	0.8%	119	-53,813

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/3/2024

Water Year: 2024

Storm Number: 5

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.34	0.34	0.34	6.46	125%	39%	
<b>Cachuma Dam</b> (USBR)	332	0.41	0.41	0.41	6.01	101%	30%	
<b>Carpinteria</b> (Fire Stn)	208	0.34	0.34	0.34	7.34	139%	43%	
<b>Cuyama</b> (Fire Stn)	436	0.10	0.10	0.10	2.58	106%	34%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.54	0.54	0.54	4.77	69%	22%	9.4
<b>Gibraltar Dam</b> (City Facility)	230	0.36	0.36	0.36	10.13	127%	38%	7.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.33	0.00	0.33	5.83	98%	32%	
<b>Lompoc</b> (City Hall)	439	0.35	0.35	0.35	6.27	134%	43%	8.0
<b>Los Alamos</b> (Fire Stn)	204	0.34	0.34	0.35	6.06	127%	40%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.62	0.62	0.64	12.01	112%	35%	
<b>Santa Barbara</b> (County Bldg)	234	0.43	0.43	0.44	8.20	144%	45%	
<b>Santa Maria</b> (City Pub.Works)	380	0.35	0.35	0.35	5.09	116%	38%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.39	0.39	0.39	5.38	110%	34%	
<b>Sisquoc</b> (Fire Stn)	256	0.35	0.35	0.35	4.46	92%	30%	

County-wide percentage of "Normal-to-Date" rainfall :

**114%**

County-wide percentage of "Normal Water-Year" rainfall :

**36%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.77	4,693	4,642	98.9%	-31	1,460
<a href="#">Cachuma Reservoir</a>	753.**	746.97	192,978	174,747	90.6%	174	-9,247
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	5	81
<a href="#">Twitchell Reservoir</a>	651.50	536.78	194,971	1,570	0.8%	70	-53,862

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 1/1/2024

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	6.12	123%	37%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	5.60	98%	28%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	7.08	138%	41%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	2.48	105%	32%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	4.23	63%	20%	9.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	9.77	127%	37%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	5.21	91%	28%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	5.92	132%	40%	8.1
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	0.01	5.72	123%	37%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.02	0.00	0.02	11.39	110%	33%	
<b>Santa Barbara</b> (County Bldg)	234	0.01	0.00	0.01	7.77	141%	42%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	4.74	112%	36%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	4.99	106%	32%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	4.11	88%	27%	

County-wide percentage of "Normal-to-Date" rainfall :

111%

County-wide percentage of "Normal Water-Year" rainfall :

34%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,399.91	4,693	4,673	99.6%	0	1,491
<a href="#">Cachuma Reservoir</a>	753.**	746.91	192,978	174,573	90.5%	0	-9,421
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.10	4,848	4,860	100.2%	0	76
<a href="#">Twitchell Reservoir</a>	651.50	537.41	194,971	1,791	0.9%	0	-53,641

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/31/2023

Water Year: 2024

Storm Number: 4

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.17	1.06	5.44	6.12	124%	37%	
<b>Cachuma Dam</b> (USBR)	332	0.06	0.85	4.98	5.60	99%	28%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.74	6.82	7.08	139%	41%	
<b>Cuyama</b> (Fire Stn)	436	0.02	0.51	2.35	2.48	107%	32%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.06	0.55	3.38	4.23	64%	20%	9.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.69	9.44	9.77	129%	37%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.38	4.93	5.21	92%	28%	
<b>Lompoc</b> (City Hall)	439	0.06	1.39	4.84	5.92	133%	40%	8.1
<b>Los Alamos</b> (Fire Stn)	204	0.03	1.20	5.09	5.71	125%	37%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	1.12	10.50	11.37	112%	33%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.66	7.48	7.76	143%	42%	
<b>Santa Maria</b> (City Pub. Works)	380	0.02	1.25	4.02	4.74	115%	36%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.02	0.74	4.24	4.99	108%	32%	
<b>Sisquoc</b> (Fire Stn)	256	0.01	1.06	3.70	4.11	89%	27%	

County-wide percentage of "Normal-to-Date" rainfall :

**113%**

County-wide percentage of "Normal Water-Year" rainfall :

**34%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.04	4,693	4,702	100.2%	3,141	1,520
<a href="#">Cachuma Reservoir</a>	753.**	746.88	192,978	174,486	90.4%	1,365	-9,508
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.12	4,848	4,863	100.3%	315	79
<a href="#">Twitchell Reservoir</a>	651.50	537.10	194,971	1,689	0.9%	-3,716	-53,743

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/30/2023

Water Year: 2024

Storm Number: 4

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.89	0.89	5.27	5.95	123%	36%	
<b>Cachuma Dam</b> (USBR)	332	0.79	0.79	4.92	5.54	99%	28%	
<b>Carpinteria</b> (Fire Stn)	208	0.74	0.74	6.82	7.08	141%	41%	
<b>Cuyama</b> (Fire Stn)	436	0.49	0.49	2.33	2.46	107%	32%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.49	0.49	3.32	4.17	64%	19%	9.6
<b>Gibraltar Dam</b> (City Facility)	230	0.69	0.69	9.44	9.77	131%	37%	7.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.38	0.38	4.93	5.21	93%	28%	
<b>Lompoc</b> (City Hall)	439	1.33	1.33	4.78	5.86	133%	40%	8.2
<b>Los Alamos</b> (Fire Stn)	204	1.17	1.17	5.06	5.68	126%	37%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.12	1.12	10.50	11.37	113%	33%	
<b>Santa Barbara</b> (County Bldg)	234	0.66	0.66	7.48	7.76	146%	42%	
<b>Santa Maria</b> (City Pub. Works)	380	1.23	1.23	4.00	4.72	116%	35%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.72	0.72	4.22	4.97	108%	31%	
<b>Sisquoc</b> (Fire Stn)	256	1.05	1.05	3.69	4.10	89%	27%	

County-wide percentage of "Normal-to-Date" rainfall :

**114%**

County-wide percentage of "Normal Water-Year" rainfall :

**33%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.14	4,693	4,725	100.7%	3,164	1,543
<a href="#">Cachuma Reservoir</a>	753.**	746.81	192,978	174,282	90.3%	1,161	-9,712
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.14	4,848	4,865	100.4%	317	81
<a href="#">Twitchell Reservoir</a>	651.50	536.69	194,971	1,560	0.8%	-3,845	-53,872

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/27/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	4.38	5.06	116%	30%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	4.12	4.74	94%	24%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	6.07	6.33	139%	37%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	1.84	1.97	92%	26%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	2.83	3.68	60%	17%	9.7
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	8.75	9.08	135%	34%	7.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	4.54	4.82	94%	26%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	3.45	4.53	111%	31%	8.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	3.88	4.50	109%	29%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	9.38	10.25	110%	30%	
<b>Santa Barbara</b> (County Bldg)	234	0.01	0.00	6.81	7.09	144%	39%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	2.77	3.49	91%	26%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	3.49	4.24	102%	27%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	2.64	3.05	72%	20%	

County-wide percentage of "Normal-to-Date" rainfall :

**105%**

County-wide percentage of "Normal Water-Year" rainfall :

**28%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,400.15	4,693	4,727	100.7%	3,166	1,545
<a href="#">Cachuma Reservoir</a>	753.**	746.73	192,978	174,050	90.2%	929	-9,944
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.08	4,848	4,858	100.2%	310	74
<a href="#">Twitchell Reservoir</a>	651.50	535.00	194,971	0	0.0%	-5,405	-55,432

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/22/2023

Water Year: 2024

Storm Number: 3

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 4day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.76	4.38	4.38	5.06	131%	30%	
<b>Cachuma Dam</b> (USBR)	332	1.24	4.11	4.11	4.73	107%	24%	
<b>Carpinteria</b> (Fire Stn)	208	1.47	5.32	5.32	5.58	137%	32%	
<b>Cuyama</b> (Fire Stn)	436	1.18	1.83	1.83	1.96	100%	25%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.55	2.83	2.83	3.68	67%	17%	9.7
<b>Gibraltar Dam</b> (City Facility)	230	3.00	8.74	8.74	9.07	155%	34%	7.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	1.93	4.44	4.44	4.72	104%	26%	
<b>Lompoc</b> (City Hall)	439	0.27	3.41	3.44	4.52	125%	31%	8.8
<b>Los Alamos</b> (Fire Stn)	204	0.63	3.84	3.88	4.50	123%	29%	
<b>San Marcos Pass</b> (USFS Stn)	212	2.94	9.38	9.38	10.25	123%	30%	
<b>Santa Barbara</b> (County Bldg)	234	3.69	6.78	6.78	7.06	162%	38%	
<b>Santa Maria</b> (City Pub. Works)	380	0.22	2.74	2.76	3.48	104%	26%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.93	3.48	3.48	4.23	114%	27%	
<b>Sisquoc</b> (Fire Stn)	256	0.58	2.61	2.64	3.05	81%	20%	

County-wide percentage of "Normal-to-Date" rainfall :

117%

County-wide percentage of "Normal Water-Year" rainfall :

28%

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,396.19	4,693	3,881	82.7%	2,320	699
<a href="#">Cachuma Reservoir</a>	753.**	746.61	192,978	173,702	90.0%	581	-10,292
<a href="#">Jameson Reservoir</a>	2,224.00	2,224.24	4,848	4,878	100.6%	330	94
<a href="#">Twitchell Reservoir</a>	651.50	535.00	194,971	0	0.0%	-5,405	-55,432

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/21/2023

Water Year: 2024

Storm Number: 3

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 3day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	2.99	3.62	3.62	4.30	114%	26%	
<b>Cachuma Dam</b> (USBR)	332	2.36	2.87	2.87	3.49	81%	18%	
<b>Carpinteria</b> (Fire Stn)	208	2.24	3.85	3.85	4.11	102%	24%	
<b>Cuyama</b> (Fire Stn)	436	0.58	0.65	0.65	0.78	40%	10%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	1.46	2.28	2.28	3.13	58%	15%	9.9
<b>Gibraltar Dam</b> (City Facility)	230	2.77	5.74	5.74	6.07	107%	23%	8.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	1.74	2.51	2.51	2.79	63%	15%	
<b>Lompoc</b> (City Hall)	439	2.45	3.14	3.17	4.25	120%	29%	8.9
<b>Los Alamos</b> (Fire Stn)	204	2.91	3.21	3.25	3.87	109%	25%	
<b>San Marcos Pass</b> (USFS Stn)	212	3.38	6.44	6.44	7.31	91%	21%	
<b>Santa Barbara</b> (County Bldg)	234	1.35	3.09	3.09	3.37	79%	18%	
<b>Santa Maria</b> (City Pub. Works)	380	2.16	2.52	2.54	3.26	99%	24%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	2.20	2.55	2.55	3.30	91%	21%	
<b>Sisquoc</b> (Fire Stn)	256	1.76	2.03	2.06	2.47	67%	16%	

County-wide percentage of "Normal-to-Date" rainfall :

**87%**

County-wide percentage of "Normal Water-Year" rainfall :

**20%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,385.99	4,693	1,957	41.7%	396	-1,225
<a href="#">Cachuma Reservoir</a>	753.**	746.16	192,978	172,396	89.3%	-725	-11,598
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.52	4,848	4,667	96.3%	119	-117
<a href="#">Twitchell Reservoir</a>	651.50	535.00	194,971	0	0.0%	-5,405	-55,432

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/20/2023

Water Year: 2024

Storm Number: 3

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.30	0.63	0.63	1.31	35%	8%	
<b>Cachuma Dam</b> (USBR)	332	0.34	0.51	0.51	1.13	26%	6%	
<b>Carpinteria</b> (Fire Stn)	208	1.46	1.61	1.61	1.87	47%	11%	
<b>Cuyama</b> (Fire Stn)	436	0.04	0.07	0.07	0.20	11%	3%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.13	0.82	0.82	1.67	31%	8%	10.6
<b>Gibraltar Dam</b> (City Facility)	230	2.70	2.97	2.97	3.30	59%	13%	9.9
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.47	0.77	0.77	1.05	24%	6%	
<b>Lompoc</b> (City Hall)	439	0.34	0.69	0.72	1.80	52%	12%	10.3
<b>Los Alamos</b> (Fire Stn)	204	0.06	0.30	0.34	0.96	28%	6%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.96	3.06	3.06	3.93	49%	11%	
<b>Santa Barbara</b> (County Bldg)	234	1.42	1.74	1.74	2.02	48%	11%	
<b>Santa Maria</b> (City Pub.Works)	380	0.05	0.36	0.38	1.10	34%	8%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.15	0.35	0.35	1.10	31%	7%	
<b>Sisquoc</b> (Fire Stn)	256	0.11	0.27	0.30	0.71	19%	5%	

County-wide percentage of "Normal-to-Date" rainfall :

**35%**

County-wide percentage of "Normal Water-Year" rainfall :

**8%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.63	4,693	1,596	34.0%	35	-1,586
<a href="#">Cachuma Reservoir</a>	753.**	745.93	192,978	171,730	89.0%	-1,391	-12,264
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.56	4,848	4,551	93.9%	3	-233
<a href="#">Twitchell Reservoir</a>	651.50	535.95	194,971	0	0.0%	-5,405	-55,432

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/19/2023

Water Year: 2024

Storm Number: 3

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1 day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.33	0.33	0.33	1.01	28%	6%	
<b>Cachuma Dam</b> (USBR)	332	0.17	0.17	0.17	0.79	19%	4%	
<b>Carpinteria</b> (Fire Stn)	208	0.15	0.15	0.15	0.41	11%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.03	0.03	0.03	0.16	9%	2%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.69	0.69	0.69	1.54	30%	7%	10.6
<b>Gibraltar Dam</b> (City Facility)	230	0.27	0.27	0.27	0.60	11%	2%	11.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.30	0.30	0.30	0.58	14%	3%	
<b>Lompoc</b> (City Hall)	439	0.35	0.35	0.38	1.46	43%	10%	10.5
<b>Los Alamos</b> (Fire Stn)	204	0.24	0.24	0.28	0.90	27%	6%	
<b>San Marcos Pass</b> (USFS Stn)	212	1.10	1.10	1.10	1.97	25%	6%	
<b>Santa Barbara</b> (County Bldg)	234	0.32	0.32	0.32	0.60	15%	3%	
<b>Santa Maria</b> (City Pub.Works)	380	0.31	0.31	0.33	1.05	33%	8%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.20	0.20	0.20	0.95	27%	6%	
<b>Sisquoc</b> (Fire Stn)	256	0.16	0.16	0.19	0.60	17%	4%	

County-wide percentage of "Normal-to-Date" rainfall :

**22%**

County-wide percentage of "Normal Water-Year" rainfall :

**5%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,383.24	4,693	1,541	32.8%	-20	-1,641
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	745.90	192,978	171,644	88.9%	-1,477	-12,350
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,221.34	4,848	4,524	93.3%	-24	-260
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	536.20	194,971	0	0.0%	-5,405	-55,432

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/18/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.68	19%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.62	15%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.26	7%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.13	7%	2%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.85	17%	4%	11.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.33	6%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.28	7%	2%	
<b>Lompoc</b> (City Hall)	439	0.02	0.00	0.03	1.11	34%	8%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.04	0.00	0.04	0.66	20%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.87	12%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.28	7%	2%	
<b>Santa Maria</b> (City Pub.Works)	380	0.02	0.00	0.02	0.74	24%	6%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.75	22%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.03	0.00	0.03	0.44	13%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**15%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.25	4,693	1,542	32.9%	-19	-1,640
<a href="#">Cachuma Reservoir</a>	753.**	745.88	192,978	171,587	88.9%	-1,534	-12,407
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.32	4,848	4,522	93.3%	-26	-262
<a href="#">Twitchell Reservoir</a>	651.50	535.95	194,971	1,333	0.7%	-4,072	-54,099

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/15/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.68	20%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.62	16%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.26	7%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.13	8%	2%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.85	18%	4%	11.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.33	7%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.28	7%	2%	
<b>Lompoc</b> (City Hall)	439	0.01	0.00	0.01	1.09	35%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.62	20%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.87	12%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.28	7%	2%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.00	0.72	25%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.75	24%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.41	13%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**16%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.55	4,693	1,585	33.8%	24	-1,597
<a href="#">Cachuma Reservoir</a>	753.**	745.96	192,978	171,816	89.0%	-1,305	-12,178
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.38	4,848	4,529	93.4%	-19	-255
<a href="#">Twitchell Reservoir</a>	651.50	536.12	194,971	1,384	0.7%	-4,021	-54,048

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/11/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.68	22%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.62	18%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.26	8%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.13	8%	2%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.85	19%	4%	10.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.33	8%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.28	8%	2%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	1.08	38%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.62	22%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.87	13%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.28	8%	2%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.72	27%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.75	25%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.41	14%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

17%

County-wide percentage of "Normal Water-Year" rainfall :

3%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.75	4,693	1,613	34.4%	52	-1,569
<a href="#">Cachuma Reservoir</a>	753.**	746.07	192,978	172,134	89.2%	-987	-11,860
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.44	4,848	4,536	93.6%	-12	-248
<a href="#">Twitchell Reservoir</a>	651.50	536.10	194,971	1,378	0.7%	-4,027	-54,054

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/4/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.68	25%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.62	20%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.26	9%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.13	9%	2%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.85	22%	4%	10.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.33	9%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.28	9%	2%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	1.08	44%	7%	10.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.62	26%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.87	16%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.28	10%	2%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.72	32%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.75	29%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.41	16%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**20%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><b>Gibraltar Reservoir</b></a>	1,400.00	1,383.49	4,693	1,576	33.6%	15	-1,606
<a href="#"><b>Cachuma Reservoir</b></a>	753.**	746.32	192,978	172,860	89.6%	-261	-11,134
<a href="#"><b>Jameson Reservoir</b></a>	2,224.00	2,221.52	4,848	4,546	93.8%	-2	-238
<a href="#"><b>Twitchell Reservoir</b></a>	651.50	542.86	194,971	3,918	2.0%	-1,487	-51,514

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 12/1/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.68	28%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.62	23%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.26	10%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.13	10%	2%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.85	24%	4%	10.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.33	10%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.28	10%	2%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	1.08	50%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.62	30%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.87	18%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.28	11%	2%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.00	0.72	36%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.75	33%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.41	18%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**22%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.39	4,693	1,561	33.3%	0	-1,621
<a href="#">Cachuma Reservoir</a>	753.**	746.41	192,978	173,121	89.7%	0	-10,873
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.54	4,848	4,548	93.8%	0	-236
<a href="#">Twitchell Reservoir</a>	651.50	545.88	194,971	5,405	2.8%	0	-50,027

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/27/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.67	0.68	31%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.60	0.62	26%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.21	0.26	12%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.13	0.13	11%	2%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.83	0.85	27%	4%	10.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.33	0.33	11%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.27	0.28	12%	2%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.85	1.08	56%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.58	0.62	32%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.62	0.87	21%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.24	0.28	12%	2%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.55	0.72	39%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.67	0.75	37%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.38	0.41	20%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**25%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,383.28	4,693	1,547	33.0%	-262	-1,635
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	746.60	192,978	173,673	90.0%	-2,248	-10,321
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,221.60	4,848	4,556	94.0%	-60	-228
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	549.38	194,971	7,335	3.8%	-11,122	-48,097

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/20/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.67	0.68	37%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.60	0.62	32%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.21	0.26	13%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.13	0.13	13%	2%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.83	0.85	33%	4%	11.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.33	0.33	14%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.27	0.28	14%	2%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.85	1.08	68%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.58	0.62	39%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.62	0.87	25%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.24	0.28	14%	2%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.55	0.72	46%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.67	0.75	44%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.38	0.41	24%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**30%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.12	4,693	1,524	32.5%	-285	-1,658
<a href="#">Cachuma Reservoir</a>	753.**	746.81	192,978	174,282	90.3%	-1,639	-9,712
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.66	4,848	4,563	94.1%	-53	-221
<a href="#">Twitchell Reservoir</a>	651.50	555.17	194,971	10,930	5.6%	-7,527	-44,502

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/19/2023

Water Year: 2024

Storm Number: 2

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 2day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.30	0.66	0.67	0.68	39%	4%	
<b>Cachuma Dam</b> (USBR)	332	0.18	0.50	0.60	0.62	34%	3%	
<b>Carpinteria</b> (Fire Stn)	208	0.05	0.05	0.21	0.26	14%	2%	
<b>Cuyama</b> (Fire Stn)	436	0.13	0.13	0.13	0.13	13%	2%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.37	0.78	0.83	0.85	34%	4%	11.0
<b>Gibraltar Dam</b> (City Facility)	230	0.10	0.10	0.33	0.33	15%	1%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.10	0.14	0.27	0.28	14%	2%	
<b>Lompoc</b> (City Hall)	439	0.62	0.81	0.85	1.08	71%	7%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.32	0.58	0.58	0.62	41%	4%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.20	0.26	0.62	0.87	26%	3%	
<b>Santa Barbara</b> (County Bldg)	234	0.11	0.11	0.24	0.28	15%	2%	
<b>Santa Maria</b> (City Pub. Works)	380	0.49	0.55	0.55	0.72	48%	5%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.23	0.65	0.67	0.75	47%	5%	
<b>Sisquoc</b> (Fire Stn)	256	0.18	0.38	0.38	0.41	25%	3%	

County-wide percentage of "Normal-to-Date" rainfall :

**31%**

County-wide percentage of "Normal Water-Year" rainfall :

**3%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.10	4,693	1,521	32.4%	-288	-1,661
<a href="#">Cachuma Reservoir</a>	753.**	746.84	192,978	174,369	90.4%	-1,552	-9,625
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.68	4,848	4,565	94.2%	-51	-219
<a href="#">Twitchell Reservoir</a>	651.50	555.03	194,971	10,835	5.6%	-7,622	-44,597

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/18/2023

Water Year: 2024

Storm Number: 2

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.36	0.36	0.37	0.38	22%	2%	
<b>Cachuma Dam</b> (USBR)	332	0.32	0.32	0.42	0.44	24%	2%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.16	0.21	12%	1%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.41	0.41	0.46	0.48	20%	2%	11.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.23	0.23	10%	1%	11.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.04	0.04	0.17	0.18	10%	1%	
<b>Lompoc</b> (City Hall)	439	0.19	0.19	0.23	0.46	31%	3%	11.1
<b>Los Alamos</b> (Fire Stn)	204	0.26	0.26	0.26	0.30	20%	2%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.06	0.06	0.42	0.67	20%	2%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.13	0.17	9%	1%	
<b>Santa Maria</b> (City Pub. Works)	380	0.06	0.06	0.06	0.23	16%	2%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.42	0.42	0.44	0.52	34%	3%	
<b>Sisquoc</b> (Fire Stn)	256	0.20	0.20	0.20	0.23	14%	2%	

County-wide percentage of "Normal-to-Date" rainfall :

17%

County-wide percentage of "Normal Water-Year" rainfall :

2%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.08	4,693	1,518	32.3%	-291	-1,664
<a href="#">Cachuma Reservoir</a>	753.**	746.86	192,978	174,428	90.4%	-1,493	-9,566
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.70	4,848	4,568	94.2%	-48	-216
<a href="#">Twitchell Reservoir</a>	651.50	555.24	194,971	10,977	5.6%	-7,480	-44,455

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/17/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.01	0.00	0.01	0.02	1%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.10	0.12	7%	1%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.16	0.21	12%	1%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.05	0.07	3%	0%	11.4
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.23	0.23	11%	1%	11.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.13	0.14	8%	1%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.04	0.27	19%	2%	11.2
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.04	3%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.36	0.61	19%	2%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.13	0.17	10%	1%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.17	12%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.02	0.10	7%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.03	2%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

8%

County-wide percentage of "Normal Water-Year" rainfall :

1%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.04	4,693	1,513	32.2%	-296	-1,669
<a href="#">Cachuma Reservoir</a>	753.**	746.87	192,978	174,457	90.4%	-1,464	-9,537
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.72	4,848	4,570	94.3%	-46	-214
<a href="#">Twitchell Reservoir</a>	651.50	555.64	194,971	11,246	5.8%	-7,211	-44,186

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/16/2023

Water Year: 2024

Storm Number: 1

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 1day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.01	1%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.10	0.10	0.10	0.12	7%	1%	
<b>Carpinteria</b> (Fire Stn)	208	0.16	0.16	0.16	0.21	13%	1%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.05	0.05	0.05	0.07	3%	0%	11.4
<b>Gibraltar Dam</b> (City Facility)	230	0.23	0.23	0.23	0.23	11%	1%	11.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.13	0.13	0.13	0.14	8%	1%	
<b>Lompoc</b> (City Hall)	439	0.04	0.04	0.04	0.27	20%	2%	11.2
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.04	3%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.36	0.36	0.36	0.61	20%	2%	
<b>Santa Barbara</b> (County Bldg)	234	0.13	0.13	0.13	0.17	10%	1%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.17	13%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.02	0.02	0.02	0.10	7%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.03	2%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

8%

County-wide percentage of "Normal Water-Year" rainfall :

1%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.02	4,693	1,510	32.2%	-299	-1,672
<a href="#">Cachuma Reservoir</a>	753.**	746.90	192,978	174,486	90.4%	-1,435	-9,508
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.72	4,848	4,570	94.3%	-46	-214
<a href="#">Twitchell Reservoir</a>	651.50	556.20	194,971	11,710	6.0%	-6,747	-43,722

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/13/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.01	1%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.02	1%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.05	3%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	1%	0%	11.4
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.4
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	1%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	0.23	19%	2%	11.3
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.04	3%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	9%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.04	3%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.17	14%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.08	7%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.03	2%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

5%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,383.31	4,693	1,551	33.0%	-258	-1,631
<a href="#">Cachuma Reservoir</a>	753.**	746.97	192,978	174,747	90.6%	-1,174	-9,247
<a href="#">Jameson Reservoir</a>	2,224.00	2,221.78	4,848	4,577	94.4%	-39	-207
<a href="#">Twitchell Reservoir</a>	651.50	557.91	194,971	12,823	6.6%	-5,634	-42,609

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/6/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.01	1%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.02	2%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.05	5%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	1%	0%	11.5
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	1%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	0.23	27%	2%	11.4
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.04	5%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	14%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.04	4%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.17	19%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.08	9%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.03	3%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

6%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<b><u>Gibraltar Reservoir</u></b>	1,400.00	1,384.35	4,693	1,701	36.2%	-108	-1,481
<b><u>Cachuma Reservoir</u></b>	753.**	747.20	192,978	175,421	90.9%	-500	-8,573
<b><u>Jameson Reservoir</u></b>	2,224.00	2,221.98	4,848	4,602	94.9%	-14	-182
<b><u>Twitchell Reservoir</u></b>	651.50	562.28	194,971	16,079	8.2%	-2,378	-39,353

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 11/1/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.01	1%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.02	2%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.05	6%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	2%	0%	10.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	10.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	1%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	0.23	31%	2%	10.4
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.04	5%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	15%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.04	4%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.17	21%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.08	11%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.03	4%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

7%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,385.06	4,693	1,809	38.5%	0	-1,373
<a href="#">Cachuma Reservoir</a>	753.**	747.37	192,978	175,921	91.2%	0	-8,073
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.10	4,848	4,616	95.2%	0	-168
<a href="#">Twitchell Reservoir</a>	651.50	565.29	194,971	18,457	9.5%	0	-36,975

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/26/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	2%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	3%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.02	0.05	8%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	2%	0%	10.7
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	10.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	2%	0%	
<b>Lompoc</b> (City Hall)	439	0.02	0.00	0.15	0.23	44%	2%	10.5
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	8%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	21%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.03	0.04	6%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.10	0.17	28%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	16%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	5%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**10%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,385.96	4,693	1,953	41.6%	-572	-1,229
<a href="#">Cachuma Reservoir</a>	753.**	747.58	192,978	176,537	91.5%	-2,779	-7,457
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.28	4,848	4,638	95.7%	-65	-146
<a href="#">Twitchell Reservoir</a>	651.50	568.95	194,971	21,659	11.1%	-13,264	-33,773

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/20/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	2%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	4%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.02	0.05	9%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	3%	0%	10.8
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	10.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	2%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.11	24%	1%	10.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	9%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	25%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.03	0.04	7%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.05	0.12	25%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	18%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	5%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

9%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,386.79	4,693	2,090	44.5%	-435	-1,092
<a href="#">Cachuma Reservoir</a>	753.**	747.78	192,978	177,124	91.8%	-2,192	-6,870
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.44	4,848	4,657	96.1%	-46	-127
<a href="#">Twitchell Reservoir</a>	651.50	572.33	194,971	24,844	12.7%	-10,079	-30,588

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/16/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	2%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	5%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.03	6%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	3%	0%	10.9
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	10.9
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	2%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.11	28%	1%	10.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	11%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	30%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.01	0.02	4%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.05	0.12	29%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	22%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	7%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**11%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,387.33	4,693	2,181	46.5%	-344	-1,001
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	747.93	192,978	177,565	92.0%	-1,751	-6,429
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,222.56	4,848	4,672	96.4%	-31	-112
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	574.58	194,971	27,071	13.9%	-7,852	-28,361

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/13/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	3%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	6%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.03	8%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	4%	0%	11.0
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.0
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	3%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.11	34%	1%	10.9
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	13%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	41%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.01	0.02	5%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.05	0.12	34%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	28%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	8%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**13%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,387.73	4,693	2,250	47.9%	-275	-932
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	748.05	192,978	177,920	92.2%	-1,396	-6,074
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,222.66	4,848	4,684	96.6%	-19	-100
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	576.00	194,971	28,516	14.6%	-6,407	-26,916

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/9/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	3%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	7%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.03	8%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	4%	0%	11.1
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.1
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	3%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.11	39%	1%	11.0
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	15%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	44%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.01	0.02	5%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.05	0.12	40%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	30%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	9%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**15%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,388.34	4,693	2,356	50.2%	-169	-826
<a href="#">Cachuma Reservoir</a>	753.**	748.20	192,978	178,365	92.4%	-951	-5,629
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.78	4,848	4,698	96.9%	-5	-86
<a href="#">Twitchell Reservoir</a>	651.50	578.08	194,971	30,693	15.7%	-4,230	-24,739

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/6/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.01	0.01	3%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.02	7%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.03	8%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	5%	0%	11.2
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.2
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	3%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.11	40%	1%	11.1
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.03	0.04	15%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	46%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.01	0.02	5%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.05	0.12	42%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.07	0.08	31%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	0.03	10%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**15%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,388.74	4,693	2,426	51.7%	-99	-756
<a href="#">Cachuma Reservoir</a>	753.**	748.34	192,978	178,781	92.6%	-535	-5,213
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.68	4,848	4,686	96.7%	-17	-98
<a href="#">Twitchell Reservoir</a>	651.50	579.57	194,971	32,301	16.6%	-2,622	-23,131

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 10/1/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.01	0.00	0.01	0.01	4%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.01	0.00	0.01	0.02	9%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.03	10%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.02	5%	0%	11.3
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.01	3%	0%	
<b>Lompoc</b> (City Hall)	439	0.03	0.00	0.03	0.11	52%	1%	11.3
<b>Los Alamos</b> (Fire Stn)	204	0.03	0.00	0.03	0.04	18%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.25	56%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.01	0.00	0.01	0.02	7%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.05	0.00	0.05	0.12	53%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.07	0.00	0.07	0.08	37%	1%	
<b>Sisquoc</b> (Fire Stn)	256	0.02	0.00	0.02	0.03	12%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**19%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,389.29	4,693	2,525	53.8%	0	-657
<a href="#">Cachuma Reservoir</a>	753.**	748.52	192,978	179,316	92.9%	0	-4,678
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.82	4,848	4,703	97.0%	0	-81
<a href="#">Twitchell Reservoir</a>	651.50	581.93	194,971	34,923	17.9%	0	-20,509

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/30/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.01	5%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.03	0.03	11%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.02	0.02	6%	0%	11.3
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.3
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.01	0.01	5%	0%	
<b>Lompoc</b> (City Hall)	439	0.02	0.00	0.08	0.08	40%	1%	11.3
<b>Los Alamos</b> (Fire Stn)	204	0.01	0.00	0.01	0.01	5%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.04	0.00	0.25	0.25	64%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.01	0.01	4%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.06	0.00	0.07	0.07	34%	1%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.01	0.00	0.01	0.01	5%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.01	0.00	0.01	0.01	4%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**13%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,389.42	4,693	2,548	54.3%	-634	-634
<a href="#">Cachuma Reservoir</a>	753.**	748.56	192,978	179,436	93.0%	-4,558	-4,558
<a href="#">Jameson Reservoir</a>	2,224.00	2,222.84	4,848	4,706	97.1%	-78	-78
<a href="#">Twitchell Reservoir</a>	651.50	582.30	194,971	35,344	18.1%	-20,088	-20,088

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/22/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.01	8%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.01	0.00	0.02	0.02	14%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.02	0.02	9%	0%	11.5
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.06	0.06	44%	0%	11.5
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.02	0.00	0.21	0.21	107%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.01	0.01	9%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

14%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,390.40	4,693	2,728	58.1%	-454	-454
<a href="#">Cachuma Reservoir</a>	753.**	748.97	192,978	180,653	93.6%	-3,341	-3,341
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.06	4,848	4,732	97.6%	-52	-52
<a href="#">Twitchell Reservoir</a>	651.50	585.68	194,971	39,324	20.2%	-16,108	-16,108

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/18/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.01	9%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.01	0.00	0.01	0.01	8%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.02	0.02	11%	0%	11.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.06	0.06	62%	0%	11.5
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.19	0.19	105%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.01	0.01	14%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**15%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,390.87	4,693	2,815	60.0%	-367	-367
<a href="#">Cachuma Reservoir</a>	753.**	749.17	192,978	181,254	93.9%	-2,740	-2,740
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.12	4,848	4,740	97.8%	-44	-44
<a href="#">Twitchell Reservoir</a>	651.50	588.01	194,971	42,273	21.7%	-13,159	-13,159

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/15/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.01	10%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.02	0.02	12%	0%	11.6
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.06	0.06	72%	0%	11.6
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.19	0.19	110%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.01	0.01	17%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

16%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,391.23	4,693	2,883	61.4%	-299	-299
<a href="#">Cachuma Reservoir</a>	753.**	749.32	192,978	181,705	94.2%	-2,289	-2,289
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.18	4,848	4,747	97.9%	-37	-37
<a href="#">Twitchell Reservoir</a>	651.50	589.80	194,971	44,661	22.9%	-10,771	-10,771

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/11/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.01	0.01	11%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.02	0.02	14%	0%	11.7
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.03	0.03	48%	0%	11.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.19	0.19	128%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

14%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,391.68	4,693	2,969	63.3%	-213	-213
<a href="#">Cachuma Reservoir</a>	753.**	749.57	192,978	182,458	94.5%	-1,536	-1,536
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.26	4,848	4,757	98.1%	-27	-27
<a href="#">Twitchell Reservoir</a>	651.50	591.99	194,971	47,720	24.5%	-7,712	-7,712

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/8/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	11.7
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.7
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.01	0.01	18%	0%	11.7
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.18	0.18	310%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**23%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2024 (End of WY2024).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,392.11	4,693	3,051	65.0%	-131	-131
<a href="#">Cachuma Reservoir</a>	753.**	749.71	192,978	182,878	94.8%	-1,116	-1,116
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.32	4,848	4,764	98.3%	-20	-20
<a href="#">Twitchell Reservoir</a>	651.50	593.58	194,971	50,049	25.7%	-5,383	-5,383

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/5/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn</b> (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	11.8
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.01	0.01	25%	0%	11.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.18	0.18	392%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**30%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2023 (End of WY2023).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,392.53	4,693	3,133	66.8%	-49	-49
<a href="#">Cachuma Reservoir</a>	753.**	749.87	192,978	183,360	95.0%	-634	-634
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.38	4,848	4,774	98.5%	-10	-10
<a href="#">Twitchell Reservoir</a>	651.50	595.15	194,971	52,426	26.9%	-3,006	-3,006

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/2/2023

Water Year: 2024

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	11.5
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.5
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.01	0.00	0.01	0.01	265%	0%	11.5
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.18	0.00	0.18	0.18	9491%	1%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub. Works)	380	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

**697%**

County-wide percentage of "Normal Water-Year" rainfall :

**0%**

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2023 (End of WY2023).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,392.72	4,693	3,170	67.5%	-12	-12
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	750.04	192,978	183,903	95.3%	-91	-91
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	223.46	4,848	4,782	98.6%	-2	-2
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	596.65	194,971	54,779	28.1%	-653	-653

[Previous Rainfall and Reservoir Summaries](#)





# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 9/1/2023

Water Year: 2024

Storm Number:

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches.

All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	0.00	0%	0%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.00	0.00	0%	0%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.00	0.00	0%	0%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.00	0.00	0%	0%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.00	0.00	0%	0%	11.8
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.00	0.00	0%	0%	11.8
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.00	0.00	0%	0%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	0.00	0%	0%	11.8
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	0.00	0%	0%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.00	0.00	0%	0%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.00	0.00	0%	0%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.00	0.00	0%	0%	

County-wide percentage of "Normal-to-Date" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall :

0%

County-wide percentage of "Normal Water-Year" rainfall calculated  
assuming no more rain through Aug. 31, 2023 (End of WY2023).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)

6.1 - 9.0 = Moderate

9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#">Gibraltar Reservoir</a>	1,400.00	1,392.78	4,693	3,182	67.8%	0	0
<a href="#">Cachuma Reservoir</a>	753.**	750.08	192,978	183,994	95.3%	0	0
<a href="#">Jameson Reservoir</a>	2,224.00	2,223.48	4,848	4,784	98.7%	0	0
<a href="#">Twitchell Reservoir</a>	651.50	597.06	194,971	55,432	28.4%	0	0

[Previous Rainfall and Reservoir Summaries](#)



# Santa Barbara County - Flood Control District

130 East Victoria Street, Santa Barbara CA 93101 - 805.568.3440 - [www.countyofsb.org/pwd](http://www.countyofsb.org/pwd)

## Rainfall and Reservoir Summary

Updated 8am: 8/31/2023

Water Year: 2023

Storm Number: NA

**Notes:** Daily rainfall amounts are recorded as of 8am for the previous 24 hours. Rainfall units are expressed in inches. All data on this page are from automated sensors, are preliminary, and subject to verification.

\*Each Water Year (WY) runs from Sept 1 through Aug 31 and is designated by the calendar year in which it ends

County Real-Time Rainfall and Reservoir Website link: ➤ <http://www.countyofsb.org/hydrology>

Rainfall	ID	24 hrs	Storm 0day(s)	Month	Year*	% to Date	% of Year*	AI
<b>Buellton</b> (Fire Stn)	233	0.00	0.00	0.00	29.35	179%	179%	
<b>Cachuma Dam</b> (USBR)	332	0.00	0.00	0.25	38.74	198%	198%	
<b>Carpinteria</b> (Fire Stn)	208	0.00	0.00	0.86	29.59	174%	174%	
<b>Cuyama</b> (Fire Stn)	436	0.00	0.00	0.97	14.69	194%	194%	
<b>Figueroa Mtn.</b> (USFS Stn)	421	0.00	0.00	0.07	42.72	203%	203%	11.5
<b>Gibraltar Dam</b> (City Facility)	230	0.00	0.00	0.45	61.83	237%	237%	11.6
<b>Goleta</b> (Fire Stn-Los Carneros)	440	0.00	0.00	0.37	30.78	169%	169%	
<b>Lompoc</b> (City Hall)	439	0.00	0.00	0.00	34.20	237%	237%	11.2
<b>Los Alamos</b> (Fire Stn)	204	0.00	0.00	0.00	32.32	213%	213%	
<b>San Marcos Pass</b> (USFS Stn)	212	0.00	0.00	0.96	81.18	242%	242%	
<b>Santa Barbara</b> (County Bldg)	234	0.00	0.00	0.59	37.00	203%	203%	
<b>Santa Maria</b> (City Pub.Works)	380	0.00	0.00	0.13	25.71	194%	194%	
<b>Santa Ynez</b> (Fire Stn /Airport)	218	0.00	0.00	0.03	33.09	213%	213%	
<b>Sisquoc</b> (Fire Stn)	256	0.00	0.00	0.02	25.67	172%	172%	

County-wide percentage of "Normal-to-Date" rainfall :

**202%**

County-wide percentage of "Normal Water-Year" rainfall :

**202%**

County-wide percentage of "Normal Water-Year" rainfall calculated assuming no more rain through Aug. 31, 2023 (End of WY2023).

### AI (Antecedent Index / Soil Wetness)

6.0 and below = Wet (min. = 2.5)  
6.1 - 9.0 = Moderate  
9.1 and above = Dry (max. = 12.5)

## Reservoirs

Reservoir Elevations referenced to NGVD-29.

\*\*Cachuma is full and subject to spilling at elevation 750 ft.

However, the lake is surcharged to 753 ft. for fish release water.

(Cachuma water storage based on Dec 2021 capacity revision)

Click on Site for Real-Time Readings	Spillway Elev. (ft)	Current Elev. (ft)	Max. Storage (ac-ft)	Current Storage (ac-ft)	Current Capacity (%)	Storage Change Mo.(ac-ft)	Storage Change Year*(ac-ft)
<a href="#"><u>Gibraltar Reservoir</u></a>	1,400.00	1,392.84	4,693	3,194	68.1%	-1,027	1,894
<a href="#"><u>Cachuma Reservoir</u></a>	753.**	750.14	192,978	184,177	95.4%	-4,278	113,507
<a href="#"><u>Jameson Reservoir</u></a>	2,224.00	2,223.48	4,848	4,784	98.7%	-30	1,958
<a href="#"><u>Twitchell Reservoir</u></a>	651.50	597.55	194,971	56,225	28.8%	-24,259	56,225

[Previous Rainfall and Reservoir Summaries](#)